

LOCATION MAP



LOGAN COUNTY  
ENGINEER'S OFFICE  
SCOTT C. COLEMAN, P.E., P.S.  
COUNTY ENGINEER

PROJECT DESCRIPTION

The project consists of excavating an existing tile that runs parallel with CR 10 and replacing it with 185 feet of new tile in the same location. This new tile will be 36" 707.33 (N12) Type B pipe. Positive drainage will be provided for the tile at the west end. Hydroseeding will also be done wherever the ground has been disturbed. Asphalt Concrete will be laid down where the project intersects an existing alley. A catch basin will be installed at the east termini of the project.

ZANESFIELD DRAINAGE PROJECT  
PHASE 4

VILLAGE OF ZANESFIELD  
2019

CONVENTIONAL SYMBOLS

PROPOSED PROFILE	_____
EXISTING PROFILE	-----
PROPERTY LINE	_____ PL _____ PL _____ PL
EXISTING RIGHT-OF-WAY	_____ EX. R/W _____

INDEX OF SHEETS

TITLE SHEET	-----	1
PLAN & PROFILE	-----	2
STRUCTURE DETAILS	-----	3

GENERAL NOTES

-STAKING WILL BE DONE BY THE LOGAN COUNTY ENGINEER'S OFFICE

APPROVALS

WE, THE VILLAGE OF ZANESFIELD OF LOGAN COUNTY, OHIO, HEREBY APPROVE THESE PLANS AND DECLARE THAT THE NECESSARY RIGHT-OF-WAY IS AVAILABLE FOR THIS IMPROVEMENT.

7/2/19

DATE

VILLAGE OF ZANESFIELD



PLANS PREPARED BY:  
LOGAN COUNTY ENGINEER'S OFFICE  
1991 C.R. 13, P.O. BOX 427  
BELLEFONTAINE, OHIO 43311

ENGINEER'S SEAL

SIGNED: \_\_\_\_\_

DATE: \_\_\_\_\_

STANDARD CONSTRUCTION DRAWINGS		SUPPLEMENTAL SPECIFICATIONS
CB-1.2	1-15-16	O.D.O.T. CONSTRUCTION AND MATERIALS SPECIFICATIONS, DATED JANUARY 1, 2016
		THE LOGAN COUNTY STORMWATER REGULATIONS
		THE LOGAN COUNTY SUBDIVISION REGULATIONS
		THE LOGAN COUNTY TECHNICAL DESIGN STANDARDS

7-2-19

DATE

LOGAN COUNTY, OHIO, ENGINEER

FEDERAL PROJECT NO.  
NON-FEDERAL


PID NO.  
NONE

WORK ORDER NO.  
5710


RAILROAD INVOLVEMENT  
NONE

PHASE 4

1/3



PLAN



PROFILE


DESIGN AGENCY  
 LOGAN COUNTY ENGINEER'S OFFICE  
 1991 C.R. 13, P.O. BOX 427  
 BELLEFONTAINE, OHIO 43311

DATE	5/08/2019
REVIEWED	WTB
WORK ORDER NUMBER	5710
DESIGNED	MJK
CHECKED	SCC
DRAWN	MJK
REVISED	

PLAN STA. 0+00 TO 1+90  
 & PROFILE STA. 0+00 TO 1+90

PHASE 4


2  
3



NO. 8 AGGREGATE FILL,  
INCLUDES 4" BEDDING MATERIAL

NOTE  
IN NON-PAVEMENT AREAS, TOPSOIL COMPOSED OF SEEDABLE GROUND  
TO BE PLACED WITH A MINIMUM DEPTH OF 4"

### 36"Ø PIPE UNDER COLUMBUS ST. SECTION VIEW



NOTE 6" MIN. CLEARANCE  
FROM INSIDE DIAMETER OF PIPE  
TO BOTTOM OF CATCH BASIN

### 2-4 CB SECTION VIEW