

FOREMAN'S CREW WORK SHEET

FOREMAN'S INITIALS

CREW SIZE

DATE

W.O.# 0535

ROAD NUMBER STONY CREEK

PROGRAM

LOG / STATION POINT

EMPLOYEE INFORMATION:

ROAD #	INITIALS	REG. HRS.	O.T. HRS.	EQUIPMENT	HRS.	MI.	MATERIAL CODE	TOTAL AMOUNT	COMMENTS
12-10-20	GSK	4		159	3				STRAIGHTENED SAND BAR (Doub Corners)
12-14-20	GSK	3		159	3				STARTED DIPPING OFF CR 43
12-15-20	GSK	3		159	3				" "
1-6-21	GSK	3		159	3				" "
1-7-21	GSK	3		159	3				" "
1-27-21	GSK	5		159	4				" "
1-28-21	GSK	5		159	4				" "
3-8-21	GSK	4		159	4				" "
3-9-21	GSK	5		159	4 ³²				" "
3-23-21	GSK	6		103	5		8" N12 / 12" N12	15' / 10'	FIXED TILE OUTLETS
↓	TLP	6		330		47	8" POPIN / 12" POPIN	1 / 1	↓ ↓
4-6-21	GSK	5		159	5				DIPPING INLET BY CR 43
4-7-21	GSK	5		159 159	5				PLACED CONCRETE BEHIND D. CORNERS
↓	GLS	5		320	5				HAULED CONCRETE
↓	TLP	5		327	5				↓ ↓ ↓ ↓
4-8-21	GSK	5		159	5				
↓	GLS	5		320	5				
↓	TLP	5		327	5				
9-16-21	GLS	3		156	3		2-4D / ESCORT	56 qt / 18 oz	STARTED SPRAYING
↓	RAC	3		315	1		SURF / DRIFT	11 qt / 9 oz	↓ ↓
9-17-21	RAC	5		156	5		2-4-D / ESCORT	112 qt / 36 oz	↓ ↓
ADDITIONAL COMMENTS:				315	2		SURF / DRIFT	22.5 / 18 oz.	
9-21-21	SOT	1		114 / 303	1	10			DITCH INSP.

