

Scott - Survey 4/18 05

L. L. Bruce }
Howard Cline } ch. cr.

Robert N. Scott Flagman.

- ✓ R. N. Scott 9977 Richland Survey
- ✓ Stinson Hill " Bloom 7161
2112
- ✓ Andq-Smith " Bloomfield
- ✓ Roach 9968 " Richland
- ✓ Grimes T2 R14 Sec 6
- ✓ Mc Clure 12742-13715-10434 Tp. McArthur
- ✓ David Alexanderskin " 9973 Richland
7164
- ✓ Moore Sec 25 T2 R15

9971 Richland

Scott Survey 7/18, 19, 20/05

Line A

Began at Elm tree ← Stone E. side
of tree
S. 6½ E.

33.36 ch to Simpsons N.E. ←
to 4 stones ^{on brick}. Set limestone 4" X 3" X 6"
with pieces of brick.

at 7.02 ch N. of above ← found
old stone fallen over.

Set in another stone limestone 5" X 3½"
X 14". N.E. ← Robt. N. Scott's 27 Acres

Line B

On S. line Scott's 27 A.

S. 82 W.

18.07 ch to ← stone Brick beneath.

Line C

S. 7 E.
Along E. side Scott's 8 Acres.

Found flat lime-stone at 7.78 ch.

Replaced this with large boulder
About 15" X 15" X 24".

Wit:

8" Gray ash S. 6 E 16 lbs.

6" " " N. 5 W 23 lbs

Line D

Along S. side 8 A.

Found lime stone on brick at
N. W. ← 8 A.

Measured south 7.75 ch. for
S. W. ← 8 A.

Measured W. 10.34 ch for S. W. ←
S. 82¼ W.

Set long limestone 1" X 3" X 24"
S. W. ← 8 Acres

Line E. Along W. side 8A.

N. 7° W

7.75 ch. to lime stone ←

4" Soft Maple 2' E ←

Line F.

Along N. side 8A.

N. 82° E.

Line G.

Along S. side 27A

Simpsons N. Line

S. 82° W.

8.85 ch to stone ← ^{wit:} 49 lns

from N. E. ← Simpson's corr. crib.

Wit: 12" Apple tree N ½ W 51 lns

Line H

Along E. side Simpsons 5A.

N. 6 ½° W.

8.11 ch

Found 2 stone on bricks

Reset new limestone 4" X 6" X 14"

Wit: 4" Burr Oak 3 ½ lns south.

Line I.

Along Scotts S. Line

S. 83 ½° W

6.18 ½ ch. to stone ←

Simpsons N. W. ←

Searched for stone at S.E. \angle 40A.

Found nothing.

Measured W. 6.16 ch from S.E. \angle 5A.

Set stake in W. Line 5A.
and in Survey Line.

At S.W. \angle 40A.

Set iron pin $\frac{3}{4}$ " \times $\frac{1}{4}$ "
with broken dishes in pike
in W. wheel track

Wit: (Sugar gone.)

\swarrow 12" Hickory N. 82 E. 68 lbs

Variation 2° turned off

Wit: 12" Gray Ash S. 71 E. 65 $\frac{1}{2}$ lbs

Line K. Along S. side 40A

Random N 83° E. OFF set 6' S.

Set stakes on random at 5 ch., 10 ch.,
15 ch. and 20 ch., 23.13 ch

Distance to \angle afterwards set at end

Line N. 23.19 ch.

Came out 9 ft. S. of \angle Total S. 3'

Corrected random stones

O.K. Course N 82 $\frac{3}{4}$ ° E.

Line L. N. 27 $\frac{1}{2}$ ° W.

ch along pike 16.52 $\frac{1}{2}$ ch

Set iron pin $\frac{3}{4}$ " \times $\frac{1}{4}$ " in \circ

5" tile in \circ of gravel on pike

1

Line M.

Along N. Line 40A.

Random N 82 $\frac{1}{2}$ ° E. 05g set 6' N

Set stakes on random line at
5 ch., 10 ch., 15 ch., 20, 25 + 29 ch

Set stone (at 12.65 ch. S. Bucoye
 \angle at N.W. \angle 110A.) in E. Line Survey
and W. Line 110A.

Random came out 13 $\frac{1}{2}$ ' N. \angle

\swarrow Line Stone 2 $\frac{1}{2}$ " \times 4" \times 15"

Wit: 8" Hickory N. 20 E. 43 lbs.

Total Northing 7 $\frac{1}{2}$ '.

\swarrow stone 29.07 ch. from \swarrow pike

O.K. Course N. 82 $\frac{3}{4}$ ° E.

33.00	5.80	4 (62)	28.15
	6.71	15.50	15.50
	30.98		12.65
	49.49	173.96	12.51
			.71

Line N Along W. line 110 Acres.

Found stump (rotten) of 12" Buckeye at N. E. \perp survey $\frac{3}{4}$ N. W. \perp 110 Acres.

Robert N. Scott says Jas. Scott pointed out this stump as the \perp set line stone for \perp Wit:

15" Swamp Ash N. 37 E. 58 lbs
13" White Hickory S. 37 E 5 lbs

S. 6 $\frac{1}{4}$ E. Offset 15' W. S 6 $\frac{1}{2}$ E

Set stake at 12.30 ch. on offset line pass \perp stone S. W. \perp 110A at 23.97 $\frac{1}{2}$ ch

Set stake at 28.12 $\frac{1}{2}$ ch for distance measured N. grey Simpson's

S. E. \perp (Fence \perp) (34 A) 17.20 ch.

Surplus 11 lbs.

Set \perp at 28.15 ch. from Buckeye \perp Limestone 4" x 6" x 14"

Wit:

10" W. Elm S. 75 W 44 lbs.

Line O Along N. side 110A.

(\perp to ash tree) N. 82 $\frac{1}{2}$ E.

Offset 8' N.

At 5.80 ch found ^{16"} Blue Ash Line tree marked with two hacks on E. side and two or three (?) hacks on W. side.

Line P. (Ash tree to Ash tree)

6.71 ch N. 82 $\frac{1}{2}$ E.

to 20" Ash (Gray) Line tree.

3 Hacks on E. side

This tree was identified as a line tree by surveyor Gunn in 1867 and has been so considered since.

Line Q. - Gray ash to Elm \perp .

Offset 5' N.

Random N. 81 E. N 5 $\frac{1}{2}$ E

At 11. ch. offset 20' N.

At 24 ch. offset 15' N

30.98 ch. to Elm \perp

Came out 10' N. of Elm \perp

Total Southing 33'

O. K. Course N. 80 $\frac{1}{2}$ E. see next page.

Set stakes on Random Line at
5, 10, 15, 20, 25 ch.

Corrections:

- 5 ch. $5'4'' - 5' = 4''$ to the North.
10 ch. $10'7\frac{1}{2}'' - 5' = 5'7\frac{1}{2}''$ to the N.
15 ch. $15'11'' - 25 = -9'1''$ to the S.
20 ch. $21'3'' - 25 = -3'9''$ to the S.
25 ch. $26'7'' - 43 = -16'5''$ to the S.
31 ch. $32'1\frac{1}{2}'' - 43 = -10'$ to the S.

set an iron bar 1" x 34" under stone
at E. side Elm tree for \swarrow at
N. E. \swarrow Survey.

Wit: 36" Elm S. 53 E. 9.31ks.
30" Gray Ash N. 88 E. 7.67ch.

Survey Scotts 12.5 Acres.

38.36 38.53876 87.36 59.16 11.53
 11.53 11.53 10.64 11.53 37.16
 49.89 27.00 28. 50.89
 50.95

Line R

Random N 83½ E.

Offset 7' to N

at 16 ch offset 7' to S.

at 25½ ch offset 3' to N.

Set stakes on Random every

5 ch. 39.36 ch to Wallace ←

Came out 9' S. of ← N.E. ←

Wallace farm. Big 8" post set
 halfway between ash stump & ash tree

O.K. Cse. N. 83 E.

Total Southing 12 ft.

Corrections:

5 ch 1' 6½" - 7' = 5' 5½" to S.

10 ch 3' 1" - 7' = 3' 11" to S.

15 ch 4' 7½" - 7' = 2' 4½" to S.

20 ch 6' 2" - 0' = 6' 2" to N.

26 ch 8' - 3' = 5' to N.

31 ch 9' 6½" - 3' = 6' 6½" to the N.

36 ch 11' 1" - 3' = 8' 1" to the N.

Line S

Produced Survey Line E.

11.53 ch to stone ←

Produced Line came out

13½ ft N ← stone.

O.K. Cse. N. 84¼ E.

Ran Line to stone ←

Line T

Total E. 3' 6" = 5 lks.

See Corrections.

Random N. 7° W. O.K. cse. N. 7¼ W

Offset 22' W from stone.

Set stone every 5 ch.

and at 25.03 ch. and at 22 ch.

Came out 28 lks = 18' 6" W of post
 said by Benj Glasgow to be ←

75' W. of Stone + brick at N. E. ← of

Small tract and N. W. ← A. P. Wiley

Set limestone 4" x 6" x 16" with brick
 under post. (post is ←) Bricks around

stone. placed ~~stone~~ at S. side post.

Wit: 11½ lks to 8' Apple tree S. E.

$25) 42.0 \quad (1.7)$
 $10.50 \quad \frac{25}{17.0} \quad 20.43$
 $\frac{10.25}{16.93} \quad 17.5 \quad 3.82$
 21.21

Line U. S. 83⁺ W.

^{off set 11' N.}
 Chained W. down @ of pine.
 50.00 ch. Set stake. O.K. Dist. 50.24⁺

By agreement between Robt. Scott +
 80^m Glasgow the line between Scott
 and Glasgow at the pine is placed at
 the 0 of mud road. 46 lns between
 fences.

Set iron pin 1" x 12" with lime stone
 on top with broken bricks under
 stone.

This ← established 25 ch. N. of
 E/M ←

at 5.90 ch set iron bar 3/4" x 14" in
 O.N. + R. pine. Broken glass 2 1/2 flat stone 5 x 5"
 on top.

Line V.
 S. 6 E. 25 ch.

Corrections line T

Easting 5 lks = 21' 3"

5 ch = 1 lks. - 33 lns = 32 lks. E
 10 ch = 2 lks - 33 = 31 E
 15 ch = 3 - 33 = 30 E
 20 ch = 4 - 33 = 29 E.
 22 ch = 4 1/2 - 33 = 28 1/2 E
 25 ch = 5 - 33 = 28 E

Set 3/4" x 14" iron bar in O of
 Northwood 9/4 Roundhead pine
 Set limestone 8" x 8" x 4" on top.
 at 21.48 1/2 ch

For check I measured 75' W. from
 a point in line fence posts on E. side
 Liles tract. O.K.

at 5.43 ch. found stone at Roll's S.W. ←

This stone is 3 1/2 lks W. of true line

Set stake 5.41
 at 5.64 1/2 ch found stone at S.W. ←

Set stake
 Scott's Lane. Stone 3 1/2 lks. W. of true line.

at 6.04 ch. found stone at N.W. ←

Scott's Lane. Stone 3 1/2 lks W. of true line.

Set stake.

10.68 ch line Zupp + Carnes 10

21.17 ch to S. side pine

Line V.

Found two stakes at W. end of
Lane. 39 1/2 lks between stones
Measured towards street along Campbell's
S. Line 31.2 = 7.80 ch
Found nothing.

Dug for \swarrow at N. E. \swarrow Wiley's 1.44A.

Measured S. along sidewalk.
1.89 3/8 ch. for line Campbell's of Scott's
Lane.

Set iron bar 1" x 24" under bricks
26' from end of line.

N. 72 1/4° E

66) 2500 28 5 70 W 5 105
198
520
528

Line W. on S. side Lane.

5.18 ch pass line Roll 1/2
H. J. Mack
Set iron bar 1" x 24" at 7.55 ch
near S. side sidewalk. 25' from N. Line.
Set stake on line at 5.18 ch.

10.68

Stevenson-Hill Survey - bring
Survey 7161 and line between lands
John S. Hill - B. Peterson & Co

Chained from stone in N end line
7161 - 12112 to stone at + road
< to R 12112 - 35.22
(old record 148 rods.)

Line A"

from stone N.E. of Hill

$58 \frac{3}{4}$ ft

at 29.58 center fence from south
old record (94.3 poles)

at 39.81 in line between Robt Early
& Morrison and supposed to be M.R.

7161

(orig survey record 158 poles)

west line Survey 12112 and east line
of Elizabeth J. Stevenson and
June 1 - 1901

Chas M. Ridley

E. W. Smith

chain work

Grant Richardson

marker

$$\begin{array}{r} 4 \overline{) 94.3} \\ \underline{23.57} \\ 70 \frac{1}{2} \end{array}$$

$$\begin{array}{r} 24.35 \\ \underline{23.57} \\ .78 \\ \underline{7 \frac{1}{2}} \\ 70 \frac{1}{2} \end{array}$$

Line "B"

Set west from Stone MR Shoverson
5'

at 42.00 set stake (Random) for
← Hill. (1684 poles Deed)
Set west 5' from stake for parallel
line.

57 1/2 E. 57 1/2 E.

at 65.15 stake in 5' line

Set stake in this 5' offset line
at 75.58 in old fence row on
south line fence this is
46 1/2 lbs. west from corner as shown
by old fence row

168.4

131.7
300.1

605
42

1210
2420

75.6 | 20410 | .336
2268

2730

2268

4620

Line "C"

S. line 7161-

start from stake set at 75.58
of line "B" and 5' out from line
"B" as run.

$$9.61 + 5' = 9.68\frac{1}{2} \quad 9.68\frac{1}{2} - 9.08 = .60\frac{1}{2}$$

at 9.61 (but 36.32 poles)

at 582 Cynthia Roberts
found remains of water line
with tree set stake for < from
this 582 E. 12 lks -

set north from stake at end line
"B" 18'

set north 18' from stake set for
S.E. < Roberts - produced this
line.

582 1/2 W OK Coe S 582 1/2 W

at 24.35 1/2 centre W.M. & M.V. poles
set stake in 18' offset line -

$$(36.32 + 58.8 = 95.12 \text{ Dred})$$


$$(95.12 + 63.2 = 158.32 \text{ Dred})$$

at 40.16

came out 5' 3" north of < stone
S.W. to Owen Home and S.W. 7161

$$\text{Total southing } 18' - 5' 3" = 12' 4"$$

(End of line "B")
21.9 - 18 = 3.9' dist. stake to be set south.)



$$\begin{array}{r} 40.16 \\ 9.61 \\ \hline 30.55 \end{array}$$

$$30.55 : 40.16 : 12.4 : X$$

$$\begin{array}{r} 12 \frac{1}{2} \\ \hline 48192 \\ 1359 \\ \hline 3055 \overline{) 49531116.2} \\ \underline{3055} \\ 18981 \\ \underline{18330} \\ 6510 \end{array}$$

$$\begin{array}{r} 4)95.12 \\ \underline{23.78} \end{array}$$

$$24.35\frac{1}{2} - 23.78 = .57\frac{1}{2}$$

Line "D"

on west line 12112

set east 18' from \angle stone SW

Owen Kamb

57446

at 26.31 $\frac{1}{2}$ center stone on Andrew

Kamb pile (100% dead)

set random stakes for line on
north side stone and pile.

Stevenson Hill Survey

June 2 - 1905

Line "E"

with center file (N.M. x M.V.)
from stake set for MR Hill.

S 7 1/2 E

at 50.67 line Hill & Owen Kerns
set stake - (60.12 + 169 = 229.12 dist)

at 75.49 stake set in center file
at Owen Kerns S. line as offset -

Ang - (235.12 + 67.6 = 302.72)

S 8 1/2 E

at 101.79 1/2 stone in line Anderson
Kerns file & exact supposed to be
MRK 9915 -

101.79 1/2
75.49

26.30 1/2

Line "F"

Start from center Horton pipe
and center W.M. & M.V. pipes
for < 9914 & 9915
16 3/4 ft

at 58.55 *N. linstoyneri* Humphreys
58.60 " " " " *parvus*
78.62 line Kelly & Poston blue
98.59 1/2 center Andrew-Kohn *fulvum*
well (383 ft. dead)
99.75 stone in center A-TS pipe
to east. (383 ft. dead)

99.75

98.59 1/2

1.15 1/2

Line "S"

with Andrew-Kerns fence from west
start from stake < Durigood &
Chapman

N 83° E

8.66 to stake in center

W.M. & M.A. V. fence old

A-K, fence stake.

8.66

62.72

4.06

75.44 (Deed 306 p.)

Line "H"

- A-K, fence to east

Run from stone at school house
to stone NW 1/4 U.S. Mann

N 83 1/2° E

at 48.78 fence line Bird &
Keller - (Deed 195.2)

at 62.72 stone NW 1/4 U.S. Mann
(Deed 195.2 + 55.71)

66.65
62.72
3.93
23.38
27.31

66.65
13
66.78

Line "J"

from Stone MR W. S. Mann
with A-K. Fiske.

A83E

4.06 set stakes in road to
north, ^{and} east line Mrs. Stevenson

At 27.31 Co. line stone in
east line Sec. 3rd

Birds dead 93 rods

27.31
23.25
4.06
3.93
.13

4) 93
23.25

866
66.65
75.31
2

866
66.78
75.44
4
301.76

Line K-

from stake set for Mrs. Sturman
S&K at 23.20 from Co. Line
A-7 1/2 W

at 24.49 Nelson Geo. Bird
" 31.40 " " " "
" 50.29 Ross William S. Line
" 75.57 " " " "
" 100.90 1/2 stave N&K 12112
(Stave 400 ft.)

Adjourned to
Sept. 12. Tuesday 1905-

Stevenson-Hill Survey

On line between Stevenson & Hill
Line "B" of June 1st.

Start from stake N. end of line
in pit.

set out from stake at 42°

33.6 lka

set out from this line 2'

S 7 E

at 75.62 stake in line of Owen

Heine line produced east from
his \leftarrow marker.

NW $\frac{1}{4}$ Sec 7 161 -

Burr oak 5" N $11\frac{1}{2}$ E 7 $\frac{1}{2}$ lka

Sycamore 5" S $83\frac{1}{4}$ W 40 " "

Sept. 12 - 1905 -

S. H. Smith }
Jeff Wilgus } d c
Sydney Richardson
Guy McAdams
Harley Rogers.

Set south from stake end of
line "B" 3.9' for line
of south line 7161 -
✓

Line "C"

Set 14' south of line fixed
by measuring south 39' from
end of line "B" to stake

S. L. Owen Kansas

583A

Auda-Smith Survey

Bring line between Sec. 26 & Sec 17
for N. 1/2 of said Secs.
T. 2, R. 8. Bloomfield Sp.

Began at stone NNE Sec. 26
as set by H.C. Moore in 1913
and ran a straight line to
stone at SW 1/4 N 1/2 Sec. 26

at 40.37 1/2 stone SW Auda

set ~~west~~ from stone * 2' (S. end)
North

Came out 11' west of stone NNE

total westing 11 - 2 = 9'

set stakes in this line at each 10 ch
measured from north -

July 20 - 1905

John Pinner } ch. cr-
loyd Sixel } mkr.
Homer Tasson }

$$\begin{array}{r} 11 \\ 2 \\ \hline 4) 9 \\ 2.25 \\ \hline 2 \\ \hline 4.55 \end{array}$$

$$\begin{array}{r} 22.5 \\ 3 \\ \hline 67.5 \\ 2 \\ \hline 87.5 \end{array}$$

Correction for stakes.

10 ch	set	8.75
20 "	"	6.5
30 "	set	4.55 each.

Set 1 1/4" gas pipe in line at 10.01 ch from
stone NNE Auda, this pipe is 5.75' ^{east} from
stone set by H.C. Moore for SW 1/4
tract surveyed for Amos Smith

Roach Survey.

Arl Spencer } ch. cr.
Donald Wonders }
Chas. F. Roach Flagman.

9968 Richland

Ranch Survey $\frac{1}{4}$, 05.

Line A

Commenced stone in road at

S.W. $\frac{1}{4}$ 36.19 Acres

N. $7\frac{3}{4}$ W.

Set stake in line at 13. ch

at 23.68 ch to stone at N.W. $\frac{1}{4}$

Set iron bar 1 $\frac{1}{2}$ " x 24" (wrench) at 10.27

Ch. for S.W. $\frac{1}{4}$ 36.19 Acres

Line B.

Along N. Side.

N. $83\frac{1}{4}$ E.

14.15 $\frac{1}{2}$ Ch to stone at N.E. $\frac{1}{4}$ 36.19

Line C object 14' to W

Along E. side

Set stake (temporary) at 10.00 ch.

23.65½ ch. to 4 post at S.E. 36.17A

N. 7¾ W S. 7¾ E.

set stone at 13.41 ch for S.E.

↳ 0519 A. Wit: 16" temporary 4' E.

Line D.

On S. side 36.11A.

S. 8¾ W

14.22½ ch. to stone in road at

S.W. ↳

23.65½

23.68

23.67

14.19

213.03

2367

9468

2367

335.57733 Sq. ch

33.59 Acres

14.15½

14.22½

14.19

14.15½

14.19½

14.175

13.41

14175

56700

42525

14175

17008675

Line E.

dividing 19 A. by 14-59 A.

N. $83\frac{1}{4}$ E.

14.20 ch.

From iron bar in road to stone.

19 A. to Roach.

14-59 to Woods (Mattie) Bellecenter
R.D. #1.

Grimes Survey

Will Johnson } ch. ct.
Paul Wellman }
Chas. Wellman Flagman.

Grimes Survey 6/13, 05.

Found L stone at E side road
in road ditch at N.W. - Grimes
land

Line A.

Commenced at stone at Wellman's
S. E. - and Grimes N. E. -
20.33 Ch. N. 85° W

Line B.

Set iron bar 1" x 18" in @ pine
S. $4\frac{3}{4}^{\circ}$ W. 33 lks. S $4\frac{1}{2}$ W.

T2 R 14 Sec 6
Harrison

Line C

With \odot pine

N. $36\frac{1}{4}$ W

30.74 ch.

$\frac{28.72}{29.88}$
40.60

Searched for \perp at S.E. \perp
of S.W $\frac{1}{4}$ Sec.

Measured E. on S. line of Beal
from stone 16.56 ch. 16.71 ch. to \perp post

Measured W. from stone at S.W.E.

\perp Sec 6.

Passed N.E. \perp Parkers place at 18.72

At 40.54 came to \perp post

Line D

Produced line S. from N.W. \perp

Friends.

S $4\frac{3}{4}$ W. 23.51 ch.

Set stake \odot stake

wit: 16" Ash S. 74 E. 27 $\frac{1}{2}$ lks

Frank McClure } ch. Cr.
Archie McClure }
A. C. McClure Flagman

McCure Survey 6/22, 1915.

Line A.

Commenced at stone at N.W. corner

Survey 9927

Random S. 84° W O.K. Csc S. 82 1/2°

Set stakes on Random at

5 ch	Correction	1 1/2	lks. S.
10 ch	"	23	" "
10.92 ch	"	25 1/2	" "
15 ch	"	34.5	" "
20 ch	"	46 lks.	S.

At 21.93 ch to brick ⁹/₁₆ two stones
at N.E. corner of Tracy's land.
50 1/2 lks N. 1/2 W

21.93) 50.00
 7386
 5410

 2814

2.3 lks perch
20
4.60 23.5

G.M.R.

Line B.

along E. side S. from N.W. L9927

Offset 30 lks. W.

Random S. 6 3/4 E. O.K. Csc S. 7 1/2 E.

Set stakes on Random at

5 ch	32	lks. E.
10 ch	34	" "
15 ch	36	" E
20 ch	38 1/2	" "
25 ch	40 1/2	" "
30 ch	42 1/2	" "
35 ch	44 1/2	" "

At 36.67 to N.W. corner Franco

at 51.68 to ^{stone} S.W. corner M^r Eldin Dunn
tract. Came out 52 lks. W. of stone

Total weeding 22 lks

Set stone at 18.33 1/2

Set stone at 36.67 with cement block
on W. side.

Mt: 12" Ash N. 51 E. 15 lks
30" Double Elm S. 51 E. 56 "
26" Red Oak N. 68 1/2 W 21 "

144.25
36.66
31
43
43

11.52
2.3
2.3

12.0
8
120
21.0

162
35.67
141.67

Surveyed for David Alexander's
Richland Township -
- Survey 9973 -

Line "A"

Start with iron bar in center
Bell Center & Mt. Pike and MR
Fairview Cemetery.

583 ft with - line survey
passing \angle of acre lot sold to
Ann. at \angle 2.50 -

at 15.25' at set stake for SS 14568.

line, land sold to Hill Brighton.
July 27-1905

Hill Brighton } ch ex-
David Aikim }
Robert Reed mkr.

Line "B"
 from same iron bar as "A"
 on east line with road produce
 line from stake SW^r Cemetery.
 S 7 1/4 E
 at 26.55/2 ston in line SW^r
 Alexander

$$\begin{array}{r} 26.55/2 \\ 4 \\ \hline 22.55/2 \end{array}$$

$$\begin{array}{r} 25.83 \\ 23.29 \\ \hline 2.54 \end{array}$$

$$\begin{array}{r} 25.83 \\ 23.29 \\ \hline 2.54 \end{array}$$

Line "B"
 from stone end of "B"
 sit north 6'
 S 82 1/2 W
 set south 7'
 set stake at 23 ch
 (set this 77' south in line -)
 at 25.83
 came out 1' north of stake set
 this day for \leftarrow Knight & Leland.

Total nothing 2' [Crighton]
 at 23.29 ch set stake for SW^r

$$\begin{array}{r} 23 \\ 2 \\ \hline 25.83 \overline{) 46.00} \quad 1.77 \\ \underline{25.83} \\ 20170 \\ \underline{15081} \\ 2089 \end{array}$$

1.77 - 1 = .77 dist to set south at 23
 from line as run

Line "D"
Random from end of 23. ✓
line "C" ✓
At 7 1/4 ft.

Line "D"
Start from stake at 23.29
on line "C"
wit: to this stake N.O. 30"
N 35 3/4 E 5 1/4 ft
At 7 1/4 ft

at 2841 set stake near
line Brown

at 2847 set iron bar MK
length

Line "E"

from end of line "A"

A 711

1.75 set stake in Laughlin
field

center pole at .85-

July 29 - 1905

Measured from fence
at NE \angle Harry Brown
31.17 1/2 (124.7 poles)
for this S \angle . set stake
set north from this stake
6'

set corner for Brown
at 31.34 1/2 Drongas pipe

Went to SW \angle 13116
found remains of 2 maps
old \angle set stake for K
set pole 10' north

Line "B"

from stake end of line "E"
set north 15 lks from this
stake and from stake set at
remains of 2 maps SW 13.16
S 83 W

at 5.60 lks between Brown
and Leighton as fenced
set gas pipe.

at 5.15 set bar in center S.C. &
N. Pike and in N. line Alexander
Rectangular iron bar $\frac{3}{4}$ " x $1\frac{1}{4}$ "

at 7.92 set $\frac{3}{4}$ " x $1\frac{1}{4}$ " iron bar
for MR Crighton

792
5.15
2.77

Line "A"

Start at iron bar MR Conn.
produce line to angle
pike

S 83 W

at 10.52 set bar in road
50 lks west of culvert

10.52	15.25
<u>2.50</u>	<u>10.52</u>
8.02	4.73

Line "G"

from iron bar end of line A
with center pole

N 87 W

at 4.81 cross line "E"

at .91 from N. end.

at 10.04 iron bar in road

at 5.15 of line "F"

$$\begin{array}{r} 10.04 \\ 4.81 \\ \hline 5.23 \end{array}$$

Line "F" continued.

from Brighton's NW

S 83 W

with line between Brown
& Alexander

at 26.31 stake between 2

maples SWR 13/16

at 27.69 set bar in slough
road NW Alexander

$$\begin{array}{r} 7.92 \\ 5.60 \\ \hline 2.32 \\ 26.31 \\ \hline 28.63 \end{array}$$
$$\begin{array}{r} 7.92 \\ 27.69 \\ \hline 35.61 \end{array}$$

Line "H"

On road Alexander & Wright
west line.

Set at iron bar NW corner
and took bearing of road
S 7 E

at 72.69 center road on
south of Wright.

Set iron bar in center of ground
of Northwood & Bell's Center
Spicer and in center of public
road from east.

Line "I"

on south line Wright from
iron bar at + roads to
Big stone in road S 8 W Wright
N 82 1/2 E

25.57 1/2

Line "K"

Set west from stone 50 lbs = 33'

N6 $\frac{1}{2}$ W

N2 $\frac{3}{4}$ W

N6 $\frac{1}{2}$ W

N6 $\frac{3}{4}$ W

Set east 6'

" west 1'

at 44.16

Came out 7.4' east of
iron bar set for NW
Cliffland.

33

7.4

1.

41.4

6

35.4

total easting

O.K. case. N7 $\frac{1}{2}$ W

Hit: to NW Cliffland.

Bar 16' S39 $\frac{1}{2}$ W 37 lbs

170.30" N75E 27 $\frac{1}{2}$ "

Moore Survey

Ch. Crs. Charles Moore
M.W. Lowe
Flagman S.A.D. Moore

Sec 25 T2R15

Harrison

Moore Survey.

September 14, 05.

Line A

commenced at \swarrow stone in road
 at S. E. \swarrow Moore's 197.00 Acres
 Found \swarrow stone in road at S. W. \swarrow
 of Shanver \swarrow N. W. \swarrow of Jas. Moore.
 Ran N. along road N. 5 E.
 Set temporary stake at 16.36 ch.
 set iron bar 1" X 18" at 16.32 $\frac{1}{2}$ ch
 Wit: 6" apple tree N. 54 $\frac{1}{2}$ E 35 lks
 Group 5 3 Grayash N. 18 E. 95 lks.

Line B

W. along road
 Random N. 85 $\frac{1}{2}$ W
 Ran to \swarrow stone ^{40.39} \swarrow Braden by Nichols
 Came out 8' south of \swarrow
 O. K. Cse. N. 85 $\frac{1}{2}$ W
 correction for 148.4 rds.
 $\frac{80}{9} \text{ of } 8' = 7.2 \text{ ft. South}$
 set stake at 148.4 rds.
 Set iron bar $\frac{1}{2}$ " X 2" X 30" for \swarrow
 Wit: 6" Hickory 38 lks N. 9 E
 N. 48 $\frac{1}{2}$ W. S. E \swarrow Hugh Snapps
 house 122 lks

Line C

Along W. side Random N. 4 $\frac{1}{4}$ E
 offset 40 lks W.
 Set stake at ¹¹ corrections

5 ch	+ lks	40 - 4 = 36
10 ch	8 lks	40 - 8 = 32
15 ch	11 $\frac{1}{2}$	40 - 11 $\frac{1}{2}$ = 28 $\frac{1}{2}$
16.36 ch	12	40 - 12 = 28

Ran to \swarrow at S. E. \swarrow 62.25 Acres
 of Watsons \swarrow Wit: by Formed Walnut
 79 lks distant.
 Total distance 17.110 ch.
 Came out 27 lks W. of \swarrow
 Total Easting 13 lks.
 O. K. Cse N. 4 $\frac{1}{2}$ E.
 Set stake at 16.36 ch
 Set iron bar for \swarrow at 16.32 $\frac{1}{2}$ ch.

Line D

Along N. side tract from
stake at end Line C

S. $85\frac{1}{2}$ E

Set temporary stake at 21.41

37.32 to \leftarrow in road

Set $\frac{3}{4}$ " x 18" iron rod at 21.44
~~21.50~~ ch

N.W. \leftarrow to 25 Acres

Line E

S. $4\frac{1}{2}$ W.

16.31 ch. O.K. Dist. 16.32 $\frac{1}{2}$ ch.

to iron bar (gate hinge) in road.

Wit: 8" White Oak N. $54\frac{3}{4}$ W. $7\frac{3}{4}$ lks.

8" Hickory N. $46\frac{3}{4}$ E. $4\frac{1}{4}$ lks

Set this iron bar 15.66 from Sec. \leftarrow