

9960
10042 ✓

Hardin Co. line Nov 3-1880

Line 10042-10043
corner of line N 87° 10' W 100 ch
let stake 1st chain west from corner
on line

Line on Hardin Co. line
N 87° 10' W 100 ch stake in line N 87° 10' W
2 1/2 ch line = N 87° 10' E

Guard on
40 ch center of line
angle in pipe from 89° 30' of N 11 1/4 W
end of line 50' span N 11 1/4 W 95 ch

50 ch out from back end
12.50 ch offset stake at west-100 ch
250 ch south side frame dwelling house of

A Walker 13 inches from base of house
line corner at end line N 87° 10' E
1540 ch off end stake east-120 ch

100 ch Stone on line 100 ch
100 ch Stone on line 100 ch
9960
10042

9900 ✓
10042 ✓

Set stake center fence claimed
on line NW $\frac{1}{4}$ $\frac{9900}{10042}$. Wit $\frac{1}{4}$ S $\frac{1}{4}$ T
White Oak ^{30"} (big tree only one standing)
NW $\frac{1}{4}$ SW $\frac{1}{4}$ 13 $\frac{1}{4}$ lbs. Bush 28" SW $\frac{1}{4}$ E 47 $\frac{1}{2}$
Go Bush 20" S $\frac{1}{4}$ W $\frac{1}{4}$ E 50 $\frac{3}{4}$ lbs

Set 7' 100 north of stake center

05-11-22

line tree good

15.41 ch. Bur Oak $\frac{1}{4}$ South 7 links
21.97 cent Waller G. Pika at ^{1 1/2 ch. 20 ft} ang. tree
S 15 E $\frac{1}{4}$ W SW $\frac{1}{4}$ W

25.27 Elm line tree 16' South 17 links

29.57 Stake 17 links south Stake is 50' west
contains fence or cow stone

35.00 Lye 28' line tree south 35 $\frac{1}{2}$ lbs

35.10 set south 47 links

44.00 Bush 18" line tree SW $\frac{1}{4}$ E

51.36 SW $\frac{1}{4}$ on a Waller. 3 trees $\frac{1}{4}$
Sugar oak trees standing. Fall 25 lbs SW $\frac{1}{4}$ of cor
Variation 25 lbs in 57.36 ch. NW
Cud at side east of fence corner is SW $\frac{1}{4}$ E

9900 ✓
10042 ✓

Wit stake NW $\frac{1}{4}$ A Waller in skin
Dug out by line trees

Bush 18" Oak tree S $\frac{1}{4}$ E 10 $\frac{3}{4}$ lbs

Bush 26" " " dead SW $\frac{1}{4}$ E 17 $\frac{1}{2}$ lbs

Bug 20" " " S 65 $\frac{3}{4}$ W 17 links

Center of fence from Waller tree
S 51 $\frac{1}{2}$ E

Start 7 links west of stake NW $\frac{1}{4}$ corner

S 9 E line Kitcraft $\frac{1}{4}$ Waller line tree

288 cor line set stake on so line

33.85 strike Bush dead 28" old line E $\frac{1}{4}$
of big cow stone.

34.34 north bank old chain Bush end

25 corner Waller $\frac{1}{4}$ Kitcraft

35.25 ch north bank present chain Bush end
chain 40 links chain

chain tree 17 links in 34 ch. tree corner S 73 $\frac{1}{2}$ E

35.50 corner Waller. Bottom corner 28"

35.50 23 links E of White line 18" S $\frac{1}{4}$ E 3 $\frac{1}{2}$ lbs

9960 ✓
10042 ✓Dr. con Wallace ^{north bank} meander creek
same being of line Wallace

S 76 3/4 E

1.00 north 1/2 to cr bank
 2.00 old line line Wallace
 3.00 south 4 sh to cr
 4.00 " 3.50 sh " "
 6.00 " 2.50
 7.50 Start 2.00
 8.00 " 2.50
 9.00 " 3.00
 9.30 strike west bank creek
 10.00 North 1.50
 11.25 strike east bank cr
 13.10 south 1.00
 14.00 strike north bank cr
 15.50 north 3/4 of B
 17.00 north 1 3/4 of 1.50 2/4 of 4
 18.00 north 1.50 2/4 of 4 14.25
 20.00 " 5.00

9960 ✓
10042 ✓

20.75 west Bank creek
 22.00 on north bank cr of South 1/4
 23.00 north 2 sh of South 1/4
 25.00 cut pile south 1.50 to cut Br
 26.11 1/4 E 2.75 to cr line
 Start cut Br at cr north end
 C meander north Bank cr
 S 76 3/4 E
 3.00 on cr Bank cr
 4.11 south 1.00
 5.50 old chan north
 7.00 " 2.50 north near 20 south
 9.00 4 sh north on 2 sh in chan
 10.00 " 5 " " " " " "
 12.00 " 5 " " near 20 north
 12.25 " 2 " " " 25 " "
 12.70 " 2 " " on fork near
 13.00 " 1 1/2 " " 20 south
 14.00 " 1.00 " " 50 north
 17.00 east bank chan join

9960 ✓
10042 ✓

Meadow creek

S 76° 44' E

18.00 south 25

19.00 south 25 creek turns south

20.00 set stake line Hardin Rd

Union Co.

214.96 east line Wallace

Start at stake at each line Wood H.

co. meadow creek S 10 1/2° E, at

2 ch creek corner 1 ch

3.75 north bank creek

with creek S 87 3/4° E 3.31 ch

" " S 42 1/2° E 1.50

" " S 7 1/4° W 2.00

" " S 48 1/4° W 2.61

" " N 88° E at 1 ch south 1 ch

at 2 ch creek bank ~~west~~, 3.48

" " S 57 1/2° E 3.63 to post

on north bank creek at east

line Wallace point on.

9961 ✓

11142 ✓

Start at M. Raming

N 93 3/4° W

pass east end of meadow line from

Bx at 8.97 ch. line Union Co/H.

at 11.34 ch.

at 52, 55 N 8° E & Wallace in Santa

Set stake for monument W. line Dur-

on county line

N W cor Silver N 83° 4' W 2.88 ch ^{Post}

at 31.20 on co. line. also

Beach 15" N 41 1/4° E 90 links also

Beach 14" S 45 1/4° E 75 3/4 links

9959, N Linn

Start 20 links north of stone at E =
N N < Linn

N 80 1/2 E

pass 14 links north of ore
old cor stake standing
cor. O. G. Perry of 25 a tract formerly
of Elliott's land19.21 ab pass 25 links north of beach
supposed S E < 60 a tract and

23.25 ab set south 10 links

23.35 pass 6 links north 16" fence line

24.96 " 6 " north of stake out

on ore cor H. Perry

50.03 out road S E < 20°

set about stake line marked on Jan 13/1906

63.43 set 50 south

64.51 pass 4 links S 24° Ob line to
marked 2 marks on E of S. since Elliott

75.55 pass 2 8 links north of dug out gas line

9959 N Linn

780 1/2 E

81.68 stake near fence

84. stake near transit line

88. " east of transit line

90. " in line

91.77 " in fence line Elliott E of A. G.

100.56 fall 60 1/2 lbs north of ore &

Linn 9959, cor = 100% to mineral N = C

dit N E < Linn 9959 = C

N. Oak 30" (old orig on tree) cor SW 13 3/4 E

also dug stump (old orig on tree very rotten).

N 77 1/2 E 33 l., also fence 28" N 55 1/4 E

47 1/2 l. also fence 20" S 45 1/4 E 55 1/4 l.

(old orig fence 2nd from wood pane)

Stake C = ore < 9959

with 5 Linn S 50 1/4 E to col line with

at 2nd chains = point for monument
(col line bears at 87° 10 W) page 7

out stake on line of fence line fence 15" N 41 1/4 E

20 links S. and 14" S 45 1/4 E 50 1/4 l.

9959

- S 8 3/4 E from N E - sum
 34.34 cor. Mallock & Witercraft
 35.52 cent old chain Bush Cr
 37.60 N Bank " "
 37.75 cent. chain. Mat. " "
 40.32 center fence N side road
 40.64 center road S E - Wm Witercraft
 On road to line Witercraft
 S 8 1/2 W 53 Ang. N 7 1/4 W 899 cent. Bu
 over Bush creek 9.62 Ang.
 S 70 1/2 W 8.46 Ang. cor. Witercraft & R W Wil.
 37.48 west line Witercraft
 S 8 1/2 W 25.69 S line Williams 5 3/4 6
 41.45 White Williams 5
 24.58 E line Kerns out road 4
 34.39 East line H Perry 2
 16.78 South " " " 2
 29.58 West " " " 2
 9.27 South " O & Perry 1
 N 8 1/2 W 36.94 W line " " 1

9959

N line

- Start 8 lks south of N E - sum.
 S 8 1/4 W
 8.75 set stake (S. W.) to - Mrs E. Elliott
 10.00 stake
 pin in log line 134
 14.50 stake for dist
 15.00 stake line of dist
 15.00 " " " dist
 25.00 fall 9 1/2 lks south of ang 24' line tree.
 ran 1 1/2 lks south in 125 ch.
 25.20 fall 9 1/2 links south of N W - to
 Witercraft set stake. out as follows.
 ang 24' (old one center of line tree) N 8 1/4 E
 15 3/4 lks. then ang 14' (old center tree) N 57 1/4 E
 9 1/2 lks to Red Elm (old center tree dying)
 N 73 1/4 W 18 1/2 links. then ang. S (sum)
 S 24 1/2 E 33 3/4 lks
 set stake for no line in N line sum 9959
 at S 8 1/4 W 14.09 ch from N E - sum
 end at 45.595' on line. (Begin at Sta 4 on 10

9959

line pass but 43.52 at 43.55 $\frac{3}{4}$ but
near Dur line at 45.535 and Dursey
line and co line intersect 45.595

Brit stake co line $\frac{3}{4}$ of line Dur. 9959

elm 14" S 40 $\frac{3}{4}$ E 16 $\frac{3}{4}$ links also

ash trunk 8" or 8 $\frac{1}{4}$ W 51 lbs

set stake cor to Mrs Call $\frac{3}{4}$ Elliott
in Dur line at 6 8 $\frac{1}{4}$ or 8.75 ch

from old cor Dur and Brit

Hick 4" ϕ 6395 18 $\frac{3}{4}$ lbs also Buck

Eye 12" or 3E 49 lbs

on eas without course along Dur
line west from or or cor Nitelapt

1077 ch pass line Williams $\frac{3}{4}$ Williams

44.55 from Dur + Lynn 28" old line to

Ran from this tree or 8 $\frac{3}{4}$ or 6.33 ch to
co line

at 50.47 cent road $\frac{3}{4}$ of 7.56 ch 58 $\frac{3}{4}$ E

from co line = Ok + Dick $\frac{3}{4}$ Elliott

9959

and corner to Williams $\frac{3}{4}$ Korns $\frac{3}{4}$ of 52
links south of stake Mr. Wood line

Williams = 4197 ch - .52 = 41.45 chains
on page 17 for this cor.

12280

East line W. Elliott34.35 cent Bell $\frac{2}{3}$ D. Ditoh41.34 " road $\frac{1}{2}$ E. Elliott55 $^{\circ}$ 40' from $\frac{1}{2}$ E. Elliott 4.40 to cent B. $\frac{2}{3}$ D.North line W. Elliott55 $^{\circ}$ 40' W 8.98 cor. W. Bell $\frac{2}{3}$ Elliott north 94/10" 26.72 " Elliott $\frac{2}{3}$ Kiplin 10 $^{\circ}$ 12'" 41.76 $\frac{1}{2}$ W. Elliott Dupage 16East line T. Dickinson 2 $^{\circ}$ E/155 $^{\circ}$ 40' E 19.70 cor Kiplin $\frac{2}{3}$ Elliott 12 $^{\circ}$ 13'" 21.00 cent Bell $\frac{2}{3}$ D. Ditoh

" 46.26 co. line

" 53.82 Surr line \leftarrow Dick.W. line T. Dickinson 2 $^{\circ}$ E/155 $^{\circ}$ 40' W 49.38 W line Surr \leftarrow Dick.W. line T. Dickinson 2 $^{\circ}$ E/155 $^{\circ}$ 40' E 23.04 cor to Rutan $\frac{2}{3}$ W. $\frac{2}{3}$ E. = 10 $^{\circ}$ 12'" 28.14 cent Bell $\frac{2}{3}$ D. Ditoh

" 35.55 county line

" 53.64 S. W cor Surr at State

" 59.75 stone near River \leftarrow 11.25

12250
 1805-85

Start at stake NW \angle Witecraft in
 S. line Dur. N $8\frac{3}{4}$ W 23.27 ch to co line
 Road east line Dick trace N $9\frac{1}{4}$ W
 Road N line W Elliott in N $80^{\circ}40'$ E
 Set stake in road west cor Elliott \angle
 Koplin in co line Dick. Wit.
 Oak 24" N $21\frac{1}{4}$ W 146 $\frac{1}{2}$
 Also Elm 24" N $31\frac{1}{4}$ E 184 $\frac{1}{2}$ links
 Road N line Dick trace S $80^{\circ}40'$ W
 Set stake N.E. cor Dick Wit.
 Maple 28" S $41\frac{1}{4}$ E 87 $\frac{1}{2}$ lbs
 Also white hick 9' N $43\frac{3}{4}$ E 56 $\frac{3}{4}$ lbs
 Set stake on line Dick \angle Elliott \angle
 on co. line in road. Co. line N $87^{\circ}10'$ W
 Stake center road is N $87^{\circ}10'$ W 41 links from
 hick = ch on co line
 Set stake N $87^{\circ}10'$ W from stake in road
 25 feet for monument to stone near
 from stake line Elliott \angle Dick S $8\frac{1}{2}$ E
 9.56 ch to stake in Dur line \angle

12250

run to Williams, Elliott, Dickinson \angle
 Home, Wit; Set stake N. N $9\frac{1}{4}$ W 52 links
 by camon 14" S $82\frac{1}{4}$ W 207 $\frac{1}{2}$ lbs
 Red Ash. Hick 4" S $53\frac{1}{4}$ E 49 links
 Also Maple 18" N $51\frac{3}{4}$ E 61 "
 Start at Bench 18' in Dur line 26.71 ch
 west of S.E. \angle Dick (see bench 23.35 page 8)
 Fence N $9\frac{1}{4}$ W 18.03 ch to co line
 at Sta 110.05 ch on co line
 From South west cor Dur to co line
 computed is 17.82 ch N $9\frac{1}{4}$ W
 Start 29 links east of stone at a = S 88° Dur
 N $9\frac{1}{4}$ W 18.26 ch to co line at 134.04
 Find old cor stake Dur \angle Dur at 11 lbs
 north of stone fence from stake
 Dur \angle Dur N $9\frac{1}{4}$ W 18.15 ch to co line
 at 134.04
 From S 88° Dur at stake N $8\frac{1}{4}$ W north Dur
 line 18.09 ch to co line

10 2 80

Set stake for main. co. line ^{and}
 fur line. S 92° E 1/4 S 8 1/4 E 1/5.09 ch
 and co line 133.70 (being 3 links
 east of point - 133.73) Hit
 line 4° S 48 1/4 W 10 1/2 lks
 also line 5° N 87 1/4 W 22 3/4 "

Survey 10 2 39

Begin at E line surr on west R.R. thence
 with R.R.

54.00 East Corp. line Ridg. of Whiteville
 94.00 center Kinton place on Ridgway
 117.68 line R.P. Leukens of J. J. Fishburn
 118.27 Fishburn ditch
 128.50 County line at 258.92
 157.01 White J. J. Fishburn
 210.17 W line surr 2d unit - to road
 S 8 1/4 E 2142 W line Culbertson - Id. d. - Van
 N 81 E on Road 2d surr line, 632 < 1 1/2 1/3
 22.33 < 9 1/4; 51.06 < 4 1/2; 62.46 < 5 1/2; 6;
 102.55 cut side S 8 < 6; 149.80 S 8 < 7

10 2 39

Road S line surr = S 81 W
 Start 10 lks east of stake surr &
 N 8 1/4 W Fall 10 links east of
 old stake - N 82 E to B O Elliott and
 S 82 E to Rutan & Williams at
 30.60 chains, (Elliott E line 30.60)
 East line surr N 8 1/4 W
 Rutan & Williams East line N 8 1/4 W 30.04 ch
 From S to co surr to co line N 8 1/4 W 18.09 ch

Start at stake N 82 E Rutan & W
 N 8 1/4 W with E line surr 10 2 39
 cent to 2d 1/2 of Ry 26.50
 South line can 24.03 (can S line 4.12
 west line can 6.28 N line can 4.12
 E line 6.28)
 N 82 E surr = 40, 51 ch
 agrees 1st corner 2 acres in the
 south west corner of the Billie

10239

tract on follow line in 20
 poles = 5 ch and 4 ch along
 Rutan E of W line in road

Start at stake on E of Rutan E of W, 9/5 E
 to corner E of, with road and
 S 7 1/2 W 51.74 ch to NW
 R of W and E of W Dille in
 East line Corp Ridge road
 circled at about 4 1/2 ch

Start in E line Corp and cut RR at
 or W of Dille, with comp line and W
 line to Dille, S 8 1/2 E

16.55 at to SW of Dille NW of R E of W
 ditch 24.55

27.98 east cor lot

Jacob Digby of Jas Easton

35.10 East cor to lot

Jas Easton E of Jacob Dunder

36.21 Co. line at 186.00 = 5th east of fence

10239

S 8 1/2 E from R.R.
 37.02 S of W of Rutan E of Williams E of
 NW of Dillister Bea
 50.12 cut street lot

Jacob Dunder E of Mrs Dugan
 65.06 South line Durr and S of W
 Bea E of South east cor. corp. at
 sand fence north side of road

Start S of W of D. Bea thence with south
 line Durr S 8 1/2 E

21.16 S E of Bea E of W of R O Elliott
 on east bank Bull E of Davis ditch

Start stake (Nelson) S E of D Bea
 thence with line Rag E of Elliott
 S 8 1/4 E, 47+ to cut co line at
 164.43 on co line

South of Bea E of Elliott in
 south line Durr.

10239

Course of Co line from 1859

S 87 E on Co line

Line ^{run} by Putnam & Williams ^{of} Corp / 1860

Rea 1839

Start at stake (O'Keefe) N 82 E - Rea ^{and}N 77 W B O Elliott in S line Putnam ^{and} W
with line Rea ^{and} R ^{and} W

S 75 1/4 W, at 18.13 on line at 182.91

21.16 N 77 W on Rea ^{and} S W ^{and} R ^{and} W

at 6 links east of board fence.

Set stake for monument in East top
line and on line at 186.02 and80 1/2 links N 8 1/2 W from SW ^{and} R ^{and} WMiddle ^{and} Putnam (see page 19 ^{and} 20)

N line - start at end road N 8 E on line

90.65 center Kinton for pike

90.162 center to road and N 7 W ^{and} lineN line from N 7 W ^{and} S 8 1/4 E 38.76 to on line

S 8 1/4 E 65.83 S E cor sand stump, 78.50 cut R R

10239

South line B O Elliott 8

S 81 W 29.85 S E ^{and} Elliott "

West line Elliott "

N 8 3/4 W 17.92 cut B ^{and} S ditch

" 24.74 Co. line

" 29.44 N 7 W ^{and} Elliott 8

North line " "

30.30 to N 8 E ^{and} line side

East line Elliott 8

S 8 1/4 E 5.10 cut B ^{and} S, ditch

" 12.07 county line

" 30.60 S E ^{and} S ^{and} Rea ^{and} South

Sylvester Rea

S line N 8 3/4 E in Elliott above W line

N line on page 22 opposite

" S 8 1/2 W 38.04 on page 21

" N 8 1/2 E 21.16 " "

10.239

Rutan ^{of} Williams 10N line S $7\frac{1}{2}$ W 43 $\frac{1}{2}$ creek ditto

51.74 NW cor on page 20

W " S $8\frac{1}{2}$ E 8 ditto

19.66 county line

20.47 cor R ^{of} W ^{of} RcaS line N $7\frac{1}{2}$ E 21.16 cor Rca ^{of} Elliott51.36 S $8\frac{1}{2}$ E R ^{of} WE line N $8\frac{1}{4}$ W 23.04

C. Gille 3

E. line N $8\frac{1}{4}$ W Beg 5th north of west
road to T. J. Dick, see Tab. lot pg 19

21.80 to cent R.R.

with cent R.R. 54.05 to NW \angle at CorfeS $8\frac{1}{2}$ E 16.55 cent road ^{of} Rca pg 20N $7\frac{1}{2}$ E 47.94 to \angle Tab in roadN $8\frac{1}{4}$ W 5.00 " \angle " N $8\frac{1}{4}$ WN $7\frac{1}{2}$ E 4.00 " E line down cent road

10.239

Start cent pike S line down ^{of} RcaN line Riddle ^{of} Rutan,with pike S $9\frac{1}{4}$ E3.02 cent ^{hole} ^{of} Rca Rush creek

40.85 cent main track R.R.

For S line Riddle ^{of} Rutan on page 19
N $8\frac{1}{2}$ E W

Start in section point 185.51 with S line

lot 51, 192.15 west line from lot 51 ^{of} Rca

33.20 cent of NW cor lot 51

191.61 corner N line lot 51

192.07 cent ditto pike N $9\frac{1}{2}$ W195.60 " " pike N $4\frac{1}{2}$ E ^{of} S $2\frac{1}{2}$ W from co line209.95 stake N $2\frac{1}{2}$ E - 210 - 2 like about

211.74 point in street

211.50 cent corner west side lot 17 east side 8th

211.52 stake west line lot 17 at 4.01 N $8\frac{1}{2}$ W lot

218.14 point on west side Harwin lot

219.03 stake S line lot 146 and 147 ^{of} Rca north of S $8\frac{1}{2}$ E lot 146235.65 point near east side road ^{of} Rca

Start at Bricks on W cor lot 40 thence

on $S 1 \frac{1}{2} W$ 6.56 ch to NW cor lot 40,

" 7.36 " " SW cor lot 17

on $S \frac{1}{2} W$ from SW cor lot 17 to cor line 4.01 ch set stake

on $S \frac{1}{2} W$ from NW cor lot 40 = 5.54 ch to cor line set stake

By digging in vent mill thence way find old
original stone $S 8 \frac{1}{2} W$ 20 ft, place replaced stone and put
another stone on top orig stone & top.

Start Bricks on W cor lot 40 $S 8 \frac{1}{2} W$ 19 ch (W 21)

Start at stone on W cor lot 40 $S 8 \frac{1}{2} W$ 20.55 ch cor line

at east side meet at $S 19$ ch to cor line lot 21

Set stake for monument on cor line of
lot 21 at 9.44 south of stone lot line $S 19$

Start at NW cor lot 21 thence on $S 8 \frac{1}{2} W$ 9.56 ch

to stake on cor line & set line to stone

Start at NW cor lot 56 Louhens $S 8 \frac{1}{2} W$

79 links to center of R.R. $S 19$ at right
and firm cent R.R.

From NW cor lot 56 $S 8 \frac{1}{2} W$

3.50 ch stake on $S 19$ to

5.00 " " on cor line O.L. 57

7.00 " " from O.L. 57 on line to stake
from NW cor lot 57 $S 8 \frac{1}{2} W$ 20.55 ch to SW cor
Louhens 90 Ave. and cor to field

(+ 20' $S 8 \frac{1}{2} W$ cor 5)

From SW cor O.L. 57 on $S 8 \frac{1}{2} W$ 9.60 ch to

SE cor lot 57 in cor line meet O.L. 57 at

$S 8 \frac{1}{2} W$ 8.0 links from cor line from O.L.

SE cor lot 57 as surveyed is 16' to links north of

stake for monument on cor line (meat-16' to)

at $S 8 \frac{1}{2} W$ 6.9' to

Start at SE cor of O.L. 57 $S 8 \frac{1}{2} W$ 3.35 ch to SE cor lot

John Duffinger, 429 Ave. $S 19$ to SE cor

James Mill lot. Blue Surf. lot = 32.7 ch

10239

Start at stake B E of O. to 57

South $S 8^{\circ} 35' E$ 20.57 ch to Fishburn & Me
N. line $M \& B = 35.74$. W line $M \& B = 6 = 19.32$

Along co line

Start at point 238.65 near west side

West at the north co line $N 86^{\circ} 00' W$

238.695 post on W. White West St

247.48 stake on line O. to 57 & 135 ch

from NW \angle O. to 57 & 56/50 at junction RR

248.37 stake line Lukens & Fishburn St

from post 345.95 from cent RR out 3/4 ch

244.46 from SE cor Fishburn

258.95 Center RR 2nd co line

(Check in square to S end marked)

Center Hale Top road on co line

238.90 point 338.83 and stake for

monument 25 east of center road at

338.52

10239

Start cent. RR on line Lukens & Me
at 35 links west from White lot 56
Lukens & Me. 35 links on the cent RR
259/1/2 the cent Fishburn ditch, Run along

E. west of line to E of S

10.52 county line to point RR

32.33 W. line Fishburn & line N. P. H. cross

Start cent RR White Fishburn

S E on line Fishburn & Me

59 links W. from stake 50 from cent RR

36.45 to cent road & line down 10 W. 59

at S W cor Fishburn

West line down 10239 = S 81/4 E

to find in line at 3/4 RR in adjacent

line down 10239 pm for marked line

checked for cor at 81/4 E

Set stake for monument 25 ft east of center

Hale Top road with Oak's $N 40^{\circ} S$ 2.5 1/2 chthe Oak $S 103^{\circ} 1/2 E$ 3.3 1/2 ch. Post 311/2 West

9975

Start at E cor Land Stewart $\frac{2}{3}$ NW $\frac{1}{2}$ E

RR land in White 10239

Burn Oak 14° S 62½° W 177½ lks

Red White Lick 13° S 68½° E 90¾ lks

Start out Taylor Bank Twp on Clark

Survey at the line, with survey line

at 5¼ W, 34° 59' east. B. cor ditch

25.76 at E cor Burn $\frac{2}{3}$ NW $\frac{1}{2}$ E cor

Survey 10239 stakes, none of the

original have found.

Start at SSE $\frac{1}{4}$ corner at Hale Twp road

markedly 102.58 at to temporary

in center road White Burn

West line of survey runs S 86

9978

Start at stake west road on W side

then with road $\frac{2}{3}$ Burn line

S 8 E (from point S 67 lks to King Sec)

18.77 cor d. Stewart said King Sec west

18.20 transit line at point 441 at 95

cor d. E. Burn King 18¾ East of town

Land Stewart South line from S line

South corner at 14.84 To line Burn & Bush.

25.82 cor. E $\frac{2}{3}$ in track, line stake

32.58 .. l 1 $\frac{2}{3}$ 23, should be 32.58

15.213 = lot 1 cor 1 $\frac{2}{3}$ 3

33.43 = lot 2 cor 2 $\frac{2}{3}$ 3

34.84 = lot 1 = in line Bush i = at in road

15.53 = i to E along road on line Bush

White Stewart Start at i line NW corner

S 8 W, 46.67 transit line

" 64.87 SW W cor Burn.

From NW $\frac{1}{4}$ corner S 82 17.97 to cor line at

43½ lks north of point 441.095 To line

9978

Dec 25th 1885

Run line Boker creek and Rush on Tp.
 Start out east from Kears Lake
 N 32 E. Blind lead. True corner N 2 E
 On RR land find 5 trees marked 2
 hocks bear N 2 E = township line
 N 2 is. Put stake in south side stream
 at or side clearing Tp. line same being
 14.84 ch from S 2 E of Stewart
 thence with Tp. line N 2 E
 (Put stake S line stream and Tp. line
 Hickory 14" N 21 E 5 1/2 links }
 Oak Bluff ^{30"} S 88 3/4 E 78 }
 also Hick 28" S 42 1/2 E 48 1/4 links }
 at 26.04 ch Rush 12" link tree
 + 29.20 + Transit line at 9.54 ch
 west from Post 388.53 = 348.67 of Tp. line
 at 29.24 out stake in south side pond
 same being county line and corner
 of Boker creek and Rush on K.

9978

Put the stake out in co. line and at
 cor to Boker creek and Rush on Tp.
 Transit line 348.67 N 2 E 4 links
 also Oak 28" N 21 1/2 E 5 1/2 links
 also Swamp Oak ^{30"} S 88 3/4 E 78 4 1/2 links
 Start at S 2 E - Paul Stewart Post on his
 south line 14.84 to Township line.
 East Half Tp Road 2/3 East line of Survey
 at 388.90 on co. line
 N 2 E Boker creek Tp. at 348.67
 From E line of Survey to N 2 E B. Tp. = 9.77
 On west line of Survey county line is
 N 23 1/4 E. 42.606 links = 42.606
 or 43 1/2 links measured on west road N 2 E
 from A on Tp. line at 441.595. The link
 is exactly on line of Survey. 9978
 and 997.

9977

Start at Stake N E C - down cut road
 West along survey line δ 81 1/2 or
 43.15 center pike N E C - from Blair

and 12 poles north of Aug in pike Road

N 37 1/4 E to the road # 9993

and δ 33 1/2 W to SW cor Rogers

Set stake in Mon on calum δ of line from
 on line Stewart E of Blair at 64 lbs of ground

cut White Birch δ N 8 W 55 links

also Oak white δ 5 1/2 75 1/2 S 30 1/2 links

89.11 county line water as above described

and 64 links N 2 1/4 E from 533.23 on line

9930 point in transit line 53522

9933 Survey E of Stewart line in transit at 53525

102.09 or W - Survey E of to 9976 9992 E of 9992

White Oak 16" or 4 E 18 1/2 links

also Birch 16" δ 70 1/2 S 64 1/2 links

also Oak stump 24" δ 39 1/4 E 38 3/4 links

9977

Transit line N 57 1/4 W at N line from
 Start-at c = N E cor Run at stake cut road
 with Run line southward

537 cor Stewart - E of Jones (King Gas)

555 cor Jones (King Gas) and Titus, stem 1044 W.

of Run line

South line - Jones - (King Gas) 22.59 to station

3 = line 34.95 = Big S. line to Rogers

and Rogers add to Titus a strip off

South side of 3 as follows. South side

24.95. East end 3.25 N line parallel to 3 line

Start-at c = S W cor Saul Rogers on pike - then

along cut-pike N 33 1/2 E 11.05 transit line

155 the county line

100.00 South street cor Saul Stewart = 8

53325 from 8 to or = W line δ = 10.201 at

other Saul Rogers = 9.59 = 26.95

or line Jones (King Gas) = 32.93

2 line Saul Stewart 13 = 47.58 S 81 1/2 or

9977

East line 3 = S Rogers 7.73

W line Innes (King's) = 11.01

Thos. M. Blain 1

Start at m. § 33 1/2 W, 11.14 Trans line

13.62 = \angle cor Blain ^{and} Church

South line Blain l to m = 49.61

West " " m to § = 10.07

See Bot page 34 for Durw \angle

9993

W line Dur Lewis N 8 1/4 W from SW corner

S " " " " N 8 1/2 E " " "

For South line see page 9977

Start at stake SW cor Dur

- N 7 1/2 W Random, True course N 8 1/4 W

1.95 point of 2001 chain line south of offset

2.48 " " " " " " " "

3.64 cor line of Dur line stake for man,

11.05 Bush 25" dying line tree

39.55 N 8 E cor Spotska in Dur line

Old Hick 17" orig mit tree 50' or 28' N 8 E

Also swamp oak 885 W 23 links

Fall 39 links east of Spotska

49.81 Stone NW cor Stewart fall 52 east

True course of line N 8 1/4 W

Set stake for man W line Dur

Mit stake SW cor Dur S 8 1/4 E 3.64

Old Oak 25" S 7 1/4 E 17 links

Old Oak Hickory 10" N 30 1/2 E 103 links

9993

Start at stone S or W cor Stewart

with north line Stewart N 8 1/4 E

93.74 N 8 E cor Stewart at fence east side

of pick - Stewart sold 13 and made fence

on east side of pick the line

101.74 N 8 E of Prater 6 a in E line Dur

Josephus Prater 6 a

E line 10.75 ch by deed

E line 2.63 with road " "

W " 13.25 " pick " "

N line 8.00

Start at N 8 E 13 southward S 8 E

11.74 cent road cor Johnson Prater E/S.

19.00 center pick Ridgeway

52.49 South east cor Dur 6

9992, (Dec 29th 1875)Course Co line $N 87^{\circ} 10' W$ Start at $N E \angle$ Lo. Warwick is a tract
with line of line $N 12.02$ ch

to co line at 609.50 (S 3 W 14 lks to line)

 $N 20.30$ old \angle stake emulating out corner

S 2.50 ch to stake out for a fence

Stump field out beach

with S line Warwick is a $N 81^{\circ} 1/4 E$ 20.23 ch

to cent road

with road and E line $50 = N 2^{\circ} 20' W$

at 20 ch S end of gravel on pike

2.21 ch county line

2.55 ch $N 89 \angle$ is a tractSet stake for monument $S 87^{\circ} 12' E$

2.5 feet from center of pike and down

land of Samuel Truel $N 81^{\circ} 16'$ at $N 3 E$

14 links from 597.305 of Transit blue

9992

sic co - 85-

Start $S E \angle$ Geo Loach $N 4^{\circ} 05' E \angle$ Lo Warwick
is a tract then with pike $N 2 1/2 W$ 11.00 to $N E \angle$ Geo Loach11.37 angle on page 1 dist 216.27. Hence
with S line Geo Loach $S 81^{\circ} 1/4 W$ 216.02 stone $N W$ corner Loach 216.22 a tract52.16 $N W \angle$ Geo Loach $N 4^{\circ} 05' E \angle$ in line fromstart $N 87^{\circ} 12' E$ with S line3.00 county line $N 3^{\circ} 14' W$ lks to 649+56 of line

Set stake line for Mon. marked Mon.

1342. $N 87 \angle$ Geo Loach $N 4^{\circ} 05' E \angle$ to lineStart at stake $S W \angle$ Warwick is a corner and20.52 to S line $N 89 \angle$ Quinn

9991 (See 1885 1860)

Start at Stone planted by F. G. Moore 1864
 South West cor of Linn's thence with W
 line of Linn N 8 W
 15.84 SW \leftarrow Geo Crawford's 400 tract
 25.60 SW \leftarrow Stone

Center Elliptown Pike NE cor Maryland

35.92 NE \leftarrow Leary's 100 $\frac{1}{2}$ E \leftarrow Red Shields

51.27 NW \leftarrow Leary's land (back of gold mine)
 Stone in Linn line

43.09 to county line. Bear N 86° 07' W
 but pike for one ch at Linn line $\frac{1}{2}$ E line
 N 32° 14' W 14 miles from in h. 75294

66.20 ch to NE \leftarrow Red Shields Linn 1849

Start at NW cor John Leary's

N 81 1/2° E

25.55 ch NE cor Leary's S 2 \leftarrow WallisS 8 E 30 ch to NW \leftarrow Geo CrawfordFrom NW \leftarrow Crawford stone24.95 to former NE \leftarrow Crawford. Stone

33.40 to center Kenton pike and

9991 See 30-83

present \leftarrow Geo Crawford $\frac{1}{2}$ E Geo WondersCent pike NE \leftarrow Crawford S 23 W with pike16.24 old line Crawford $\frac{1}{2}$ Wonders

20.73 County line

20.88 Transit line

22.63 Angl in Ellis pike \leftarrow Wonders $\frac{1}{2}$ Buffin Elin lineStart stone W line Linn cent pike cor Crawford $\frac{1}{2}$ Leary

N 81 1/2° E with cent Elliptown pike

25.90 line Leary $\frac{1}{2}$ Crawford on northFrom \leftarrow Leary $\frac{1}{2}$ Crawford N 81 1/2° E on pike 18.13 toangl in pike. 25.04 \leftarrow Shaw $\frac{1}{2}$ Buff on south.Start cent pike S E \leftarrow John Leary

N 81 1/2° W, 12.06 Transit line,

12.20 County line

25.34 NE \leftarrow Leary $\frac{1}{2}$ NW \leftarrow G. Crawford

From Angl. Elliptown pike

S 23 W 11.32 ch to SE \leftarrow Crawford's 400

9991, Dec 31-85

Set stake for mon 25' east of center
 of end of Ellis town pike at N 32 1/2 W
 from 703.00 of the line

Start at cent Kenton Pike SW \perp S line Wondura
 East. 6.91 cent part road
 " 42.56 Surr line NE Wondura
 With East line Surr from SE \perp Wondura
 South 17.95 SE \perp J. E. Shaw
 " 25.45 " " W. Shaw
 " 28.48 County line
 " 28.62 Transit
 " 28.87 \perp to Quinn & Co's track in 9992
 " 50.06 South E \perp Surr = SE \perp W. Shaw
 On South line Surr from SE \perp Surr
 West. 35.69 center road
 " 50.20 \perp W. Shaw & John Duff
 " 73.90 cent Del. road \perp Duff & W. K. S.
 " 101.25 stone SW \perp Surr

Start at \perp Shaw & Duff in S line Wondura
 East. 24.88 cent part road SW \perp J. E. Shaw
 " 34.72 Transit line
 " Co line
 50.42 E line Surr. SE \perp W. Shaw
 J. E. Shaw's line
 N. line 25.15 - from Surr line to cent road
 W. " 6.01 to co. line from his SW \perp
 W. " 6.15 " Transit line
 W. " 7.99 " SW \perp in road
 Start on S line Surr at \perp W. Shaw & John Duff
 N. 24.64 = \perp Shaw & Duff in S line Wondura
 " 31.35 - transit line
 " co line
 36.14 center Kenton Pike
 49.59 stone K. old SE \perp Crawford.

10502, Dec 31-85

Start at stone S E < Loomis 10 a.

Run with pike S 81 1/4 W

5.80 S E < school lot 1/2 acre

E pike straight from stone west to line

747 390 < Loomis 10 a & 390 - school lot

39.93 cor. A P. Laughlin & P. O. Ellis on south

4022 stone SW < R. Shields & S. E. Johnson new limit

Start at stone on cent pike SW < Shields

North on line Shields & Smith

25.80 cor. line in wet swamp

34.50 old stake & gage cor. < Shields & Smith

Start at old stake SW < R. Shields

and NE < Loomis, with line west

S E cor. Handy 1.27 at east of bridge

40.85 stake and line & NE < Shields

39.58 S E < Handy land at old stake

50.07 stake & Smith & Sloan

66.00 County line set stake for corner

on S E 14 links from 819.46 T. p. line

78.75 S E < Samuel M. Foster on north

102.78 S W < Foster & W cor. A

Sloan in S line Laughlin, Dunham,

10502 Dec 31-85

and W W cor. Loomis 10502

Start at stone SW < Sloan

S 96' with Loomis line

25.08 = cent pike S W < Sloan

Jan 1st 1885. Temp. 45 below

Start cent Elliptown pike E of line

Rachman & Richland

52.9. at 29.69 ab. fall 47 links W of line

true course N 88 E

29.37 stake set by M. E. in line Sloan and

Foster on line Sloan same being 74.73 ch

from N E < and 1.98 ab. west from S E <

land M. Foster E of S W < Fred. Woolley.

22.2 ch. County line on Foster land on field

22.2 ch. 14 links from 837.63 T. p. line

Set at Mon stake in line at 819.46

balance line. 826.26 line Woolley E of Foster

line large

Start at town cent Ellipton Pike at
 SW \leftarrow Robt Shields with pike 58 $\frac{1}{4}$ W
 9.53 ch \leftarrow Smith (Johnson) $\frac{3}{4}$ Sloan at town
 39.49 Township line Rusher $\frac{3}{4}$ Richland
 60.94 West line Surr. SW \leftarrow Sloan
 On West line Surr from SW \leftarrow
 North 2.558 center pike \leftarrow Sloan of Ellis
 N 90r 50.61 to town \leftarrow Surr.

13079 Jan 1-86

County line N 86° 50' W 2 1/2 pm

Start at SW < Thos. Nelson 50 1/4 acs

Find by digging point of old stake

Old Brit Maple 10' marked S 70° E 10 1/2 lbs

to run with N. O. 24' N 16 3/4° E 48 1/4 links

With N line of Dur. S 8° E. Marker Stone S E & P

Set stake marked Mon in Dur. line

End Co. line north side lane fence
on Samuel M. Foster's land.

Start at stone SW < Foster in Dur. line

N 8° W 13.14 ch to Mon stake

ch to SW < Thos. Nelson

10.52 cent Red Blough Ditch on Dur. line

and NE < Laughlin Dur 14032

33.66 SW < Thos. Nelson on out above

35.25 S 22° E. , Wiley in Dur 14032

35.67 SW < Thos. Nelson.

49.59 SW < Dur. cent road < Gas Richey

Start cent road SW < Dur. line

East- 29.22 < Gas Richey & M. Woodley

44.77 < M. Woodley & B. Harrod

62.06 < B. Harrod cent Bv own ditch

South on line B. Harrod & Sumner Heins

40.57 to Dur. line

North from S E < Samuel Foster

250 County Line

14.81 to cent Red Blough Ditch < Foster & Nelson

West from NE < Samuel Foster

29.60 to < Foster & Nelson in Dur. line

From Sta 8 ch on Transit line east

35.45 to Co line on in N line Dur.

14032, Jan 3-88

Start at East line line and cut
Red Bluff ditto thence with ditto
and line Foster and Laughlin

S 55 W 366 to Aug 1

S 60 W 1116 " " 2

S 55 W 990 " " 3

S 89 1/2 W 1374 " " 4 to NW W

← Laughlin thence S 83 1/4 E 292 to

← Sand Foster and R.H. Johnson

14032

Start in E line Surr of cent. Ellis, pike
S 85 W with cent pike, 29.230 W & E
36.34 to corner Laughlin of Ham Johnson
thence with line Johnson and Laughlin
N 83 1/4 W 22.16 to cor Johnson and Foster
" 25.08 " " Foster and Laughlin
in cent Red Bluff ditto

monument found at E Foster and Ham
Johnson. ← as noted abo in June row
ditto stake for monument at 25' East of
cent Bellecenter pike at N 8 E 14 pike
from 903.06

Courses along pike from N line Surr

S 32 3/4 W

S 34 W

S 33 3/4 W - runs to S line Surr

thence Foster from cent pike S 87 1/2 E

14082 Jan 5-86

Start cut pike $S 32 \frac{3}{4} W$ ^{cut} $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$
 in cut line ^{stone} $S 83 \frac{1}{4} W 354$ to cut $N 92 E$ ^{cut} $N 92 E$
 $N 92 E$ ^{cut} $N 92 E$

Start cut pike as above ^{stone} $S 32 \frac{3}{4} W$
 on the cut pike $S 32 \frac{3}{4} W$

(Read on line ^{stone} $S 32 \frac{3}{4} W$ ^{cut} $N 92 E$)

15.30 $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

15.80 S ^{cut} $N 92 E$ ^{cut} $N 92 E$

16.19 S ^{cut} $N 92 E$ ^{cut} $N 92 E$

16.45 N ^{cut} $N 92 E$ ^{cut} $N 92 E$

29.30 $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

on the pike $S 34 W$

31.02 $S 22 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

$N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

36.79 $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

42.21 $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

47.56 $S 22 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

$N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

48.80 $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

14032 Jan 5-86

Start pike $S 32 \frac{3}{4} W$

57.55 $S 22 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

$N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

59.82 $S 22 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

Line ^{cut} $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

$N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

64.90 $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

$N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

67.88 $S 22 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

Line ^{cut} $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

75.83 $S 22 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

$N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

79.27 $S 22 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

85.09 $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

Line ^{cut} $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

90.43 $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

97.53 $S 22 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

102.67 $S 22 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

109.9 $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

Line ^{cut} $N 92 E$ ^{cut} $N 92 E$ ^{cut} $N 92 E$

14032. Jan 5-86

Start on E & Surr in cent road
 with road ^{and} Surr line $383\frac{1}{4}$ W
 31.66 cent pike < Wilcox ^{and} Sloan
 With pike $329\frac{3}{4}$ W
 15.30 S W < Wilcox ^{and} N W < Nelsons lam
 15.80 S W < Nelsons lam ^{and} N W < Foster
 South line Wilcox = 31.86 ch. 6 from pike
 Start at cent pike < Nelson ^{and} Foster
 $33\frac{1}{2}$ E 16.36 to < on N line H. Johnson
 into 10 pike < Nelson ^{and} Surr $N 81\frac{3}{4}$ E
 5.76 < Surr ^{and} Johnson on S line Nelson
 14.44 < Nelson ^{and} Foster in N line Johnson
 30.44 < Foster ^{and} Johnson on line Martha Loaglin
 Start cent Elliston pike < Johnson ^{and} Loaglin
 58.50 W with pike 54.56 to < Johnson ^{and}
 Surr, with pike $38\frac{1}{2}$ W 23.66
 Open & Johnson ^{and} Surr to S W < Surr
 Start on pike < Surr ^{and} Johnson
 northern 20.61 to S Surr Nelson

14032 Jan 5-86

Start cent pike on line Surr
 $383\frac{1}{4}$ W 3.54 stone < Sloan ^{and} Van Dusen
 " 10.75 cent R. R. on Surr line
 Start cent R. R. ^{and} N line Surr
 With cent R. R. $337\frac{1}{2}$ W
 9.48 < Sloan ^{and} Western base
 246.926 line Western base ^{and} Sloan
 21.08 < Western base ^{and} Nelson
 $39\frac{1}{2}$ E 10.74 line " " "
 29.36 < Nelson ^{and} Joe Ruble
 10 E on line N ^{and} R. 6.20 co. line
 " " " " " 15.69 = cent pike
 22.69 = co. line
 30 R. R. runs 98 pike apart = 60. Out land
 some claim to amt of R. R. on each side
 24.48 < Joe Ruble ^{and} H. Lauffer
 24.2 line Ruble ^{and} Lauffer 12.40 ch
 25.1 < Mrs J. Sloan ^{and} Theo C. Loaglin W.

14032 Jan 6 - 72

Mith cent RR continued

49.50 < Hloefler and John Ruckle

640 1/2 E 12.89 line Hloefler and John Ruckle

72.49 < John Ruckle and Dealer

69.68 < J. C. Loughlin and any dealer W.

858 E 14.37 line Ruckle and Dealer

73.87 < Smith of Livingston - M. Smith

94.75 cent pike or line base

Start cent allis pike of Pullman pike at

NW < M. C. Anderson

14032 Jan 6 72

Start cent pike SE < Dealer NE < L. O. Smith

157 1/4 W 5.88 line Dealer ^{old stone} / 60 to < M. C. Anderson

153 1/4 W 13.23, " 1/2 to cent RR <

Start cent pike opposite stone < L. O. Smith

155 1/2 W 5.08 line Smith of Stewart - John

152 1/2 W 5.27, " " " stone

152 1/2 E 2.67, " " " to < Joe Deane

" 5.12, " " " Joe Deane to cent pike

Start cent pike SE < Joe Deane of NW < Joe Deane

154 1/2 W 2.32 line Stewart - John

153 1/2 W 2.66, " " " to in line base

14032 Jan 6 - '86

Start cut fork pike or line down
with survey line and end fence
or 8 1/2 or

24.90 cut AB 1/2 of RR and NW corner
and SW corner Hamer

32.11 or 32 of J. H. Hunter 1/2 of SW corner
S 53 1/2 E line Hunter 1/2 of section

39.57 cut Ditch

42.29 or 32 of J. H. Hunter 1/2 of SW corner
or 31 1/2 S 18.10 line Hunter 1/2 of Hunter to cut RR
then 38 links from cut pike

39.27 S 1/2 of O. Siggitt 1/2 of SE corner Hamer

73.67 county line ditto stake for Mason
25 feet east from cut of pike
ditto stake Pine Oak 200 or 200 ft 500 ft
Co line from N 87 or

73.07 or 32 of O. Siggitt 1/2 of S 1/2 of Amos Plummer

76.58 or 32 of A. Plummer 1/2 of S 1/2 of J. H. Hunter

82.03 or 32 of Hunter 1/2 of SW corner
at stone near east side of pike

14032 Jan 6 - '86

Start in cut pike SE corner Amos Plummer
S 80 3/4 W 5.75 SW corner A. Plummer 1/2 of Siggitt
mouth 3.51 or line Plummer to line J. H. Hunter
or 81 E 5.79 or along S. corner

Start cut pike or line down end at NW corner
cut NW corner then with N. H. Hunter
Dime corner N 80 1/4 E
or 79 3/4 E 37.13 corner Amos Plummer NW corner

69.20 cut RR at 1.17 North from point
marked for survey line on page 65 of 71
Corner of RR S 37 1/2 W

Start cut RR on S 1/2 of S 1/2 of J. H. Hunter or 37 1/2 E
3.19 corner Pine Oak 1/2 of H. Hunter

19.16 feet or 200 or 200 ft of J. H. Hunter
20.16 feet or 200 or 200 ft of J. H. Hunter

15.32 corner of J. H. Hunter NW corner
18.88 corner of J. H. Hunter NW corner

14132 Jan 7-86

Start cent RR S.E. of E. Laughtlin
and S. of Mrs Sloan.

595 county line

2972 N.E. of Laughtlin NW Sloan in line down

set stake for point 40 links south of
line as per on north of Laughtlin on page
70, variation 40 links north in 37.13

True course of line down =

White oak Laughtlin, long 9' dead old
line true N 80 E 3 1/2 links

Red Oak dead + 3.69 W 8 links

Black Oak 9' S 72 1/2 E 45 1/2 links

Start at stake N.E. of T.C. Laughtlin

run S 8 1/4 E to cent of RR and fall

40 links north of same set on above

True course east line Laughtlin

N 7 3/4 W dist 29.72

14032 Jan 7-86

Start at stone NW Sloan in cent pipe

N 80 1/4 E 37.13 to stake on E.T.C.

Laughtlin, see page 70 for north to this

68.32 cent of RR at same line and

place of beginning page 65.

9989 Jan 7-86

Co. Laine N 87° 10' W

Start out pike & line from S. < Mitchell

49.28 A Plummer S 51° W

5.79 < Plummer of Light

13.49 county line

25.15 N W 40 Leiggitt E < Mitchell

N 8 1/2 W 12.45 N or line from at stone
and S 87° 2 37.40 E < Leiggitt along N 1/2 of Mitchell
see page 69 for line Plummer lot

Start NW < J K Mitchell NE < San Stephenson

South, S 8 1/2 E. 4.72 county line

Start NW < line out pike at stone

S or with line

74.36 ch county line

Set stake for monument on
or line from between lands

David Stephenson & S W 1/2 Kelly

East from SW < David Stephenson

17.04 cent Belle & Round Head pike

49.73 S E < S. Stephenson in place of K Mitchell

North line of Survey from center of
pike Bellehute NE < Durr

West. 50.00 < Stephenson & Mitchell in 1828

57.00 < J K Mitchell & San Stephenson

60.00 stake

69.78 < J K Mitchell & D. W. Kelly N.

74.36 county line

90.00 cent Belle & Round Head pike

101.28 stone NW < Durr

Start NW < Durr at stone

South 24.65 < S. Stephenson & W 1/2 Richey

48.93 S W < Richey

East from SW < W 1/2 Richey

30.81 cent pike & J Reed & J McLeary

49.36 < Richey & Mitchell

75.90 < Mitchell, Leiggitt, Sloan & McLeary

100.80 < Leiggitt & H. Stout in cent pike

North from SW < Mitchell

24.26 < Richey & S. Stephenson

44.61 county line

49.34 NW < J K Mitchell & NW < D. S.

12.2.81

Set stake for Men 2.5 feet
west of cent pike

Start at stone S W < Surr

25 8 1/2 W with line

5.69 County line

7.11 line McKelroy E of E McEntine

Start cent pike < McKelroy E of McEntine

§ 8197 with line McKelroy

8.64 west line of Surr

15.45 county line

43.25 Stone S W McK & S W McEntine

North on East line of Surr from S W

W 8 1/2 W / 10.09 < Surr and Thompson

" 41.87 < S W Surr and "

West on N line Surr on road

25.24 S W < S Willeto E of Thompson

50.38 " " " M W Beck

75.30 " " " A Jamison

104.02 cent pike Belle & R.

12.2.81

Mary J Jamison S line 24.98

North from S W 2 M. J Jamison

" 5.07 < S Willeto

" 30.75 S W < S Willeto in N line Surr

South line S Willeto 25.05

North from S W < M W Beck at Surr line

" 21.35 S E M W Beck on Willeto N line

" 25.63 S W < S Willeto

" 40.66 S E < J K Mitchell in S line Surr

North from S W < J K Mitchell in Surr line

59.0 S W < D. McKelroy

20.08 S W < J K Mitchell E of S W < J M. K.

North line J K Mitchell 19.76

South " M W Beck 24.76

North from S W < M W Beck

11.32 < McAninch of Jamison

24.46 < Beck E of Jamison cent Road Surr

Line Jamison of McAninch 25.64 to cent pike

" S W E of McKelroy 22.30 to cent pike

North line J McKelroy 27.00 " "

1221 81

Start cut pike stone at 7 Roads at

Drms A. Jamison

South easterly with cut pike

9.65 Drms J. McAninch

21.57 " " J. McKelroy

35.05 S.E. E. S. McEntire

36.03 Drms J. McKelroy

42.65 South line Dunn Str

14159 Jan 8 - 86 cold high

Start at stone SEE down to 12.281
at on down.

24.56 SWZ down at stone SWZ McKelroy

36.47 NWZ down 9998 @ 2 301 at X and
to Harrod

Start at Stone SWZ down SWZ McK

NW 8 1/2 or with or line down

3.86 Stone SEE Harrod @ 2 SE Harrod @

7.00 " SWZ McKelroy @ SWZ Ed McEntire

12.86 country line NW 8 1/2 SW

? but stake for Mon on or line of down
at this mon @ great to line stone

with SE long hand NW 6 1/4 W 127 links

The Red @. 10 NW 5 SE 37 1/2 links

19.76 SEE @ Harrod Stone SEE 9999 - (Harrod)

up way on down line NW 9 W

39.82 Stone on Road NW E McK

SWZ Joe Harrod SWZ

Romney

and SE Jos. Bayton

14159 - Jan 8 - 86

Start at stone NWZ McKEntire
NW 80 3/4 E with road

31.19 stone end pike NWZ McK

Road E. from pike NW 80 3/4 E (for angle)

Start stone end pike NWZ McKEntire

32.8 3/4 E with end pike

35.04 SEE McKEntire and NWZ McKKelroy

37.29 ang opposite McKKelroy front yard gate

32.9 1/4 E with end pike

38.76 CO. line.

42.60 south line of down

9997 (14288) Jan 8-86

Start at stone NE of Dunn

8.29 with N line of Dunn

.50 S E of Gas Harrod

14.50 N 86° 50' W from N W 2 Hunt

34.63 ch to county line N 86° 50' W

Set stake for Mon on W bank of canal

With Lynn 15" dead S 79° 2.6 1/2 links

Red hick 16" N 65° W 56 links

41.00 Stone S 9° W of Gas Harrod on N 1

53.29 ^{stone} N 77° W of Harrod 3/4 N E of G. James

65.83 N 77° W of Dunn at old stake same

Bring N 77° W of James up S 79° W of Harrod

in E line Dunn Dunn 13.694

Start N 79° W of James at stone

Run to 1950 to Dunn line

13393 Feb 24-86

Set stake for monument 25 feet
south of center of Stamato road
at 1354.29

course of road = N 74 E

Start at \angle E. Feb. Survey 13403 $\frac{13404}{13404}$

Burr Oak 4' down. Fetch 22' standing
old ring & trees, set small stake

Wit. W. Elm 22' N 2 3/4 E 11 3/4 links

Also Birch 22' Old tree S 7 1/2 E 6 1/4 links

Also Burr Oak stump ⁴ Hand down N 7 1/2 W 6 1/2 links

S 12 W with Survey Line

12.32 county line at 13 11/19 hand set line

hit stake for iron on Survey line

Wit. Log 28' N 60 W 13 3/8 links

Also Red Elm 30' S 45 1/4 W 9 3/8 links

1500 cent Hunter $\frac{1}{2}$ of Round head spike

31.16 \angle W. Co. Waidham and Hand on East

Course of W. line of Survey S 9 1/2 E

34.26 South cor. Survey in line $\frac{13404}{13404}$

Start at S \angle Survey line Survey $\frac{13404}{13404}$

N 9 1/2 W with line of Survey West line

22.20 county line

Set oval stake for iron on west side

with west line Survey court

N 9 1/2 W

36.46 cent gravel in pit N $\frac{1}{2}$ E/R.

36.58 cent Road (pike) \angle Wilson $\frac{1}{2}$ of Starnat

44.22 Stone \angle Wilson $\frac{1}{2}$ of Starnat

67.16 Stone \angle Starnat $\frac{1}{2}$ of W. Wilson

with Ash line tree 30' S 9 1/2 E 6 links

56.26 N 9 W cor. Survey in S line of the Survey

at large round stake

at 67.57 cor. claimed by Starnat for

cor. Starnat $\frac{1}{2}$ of W. Wilson being 41

links north of stone at ash

Start at N 9 W \angle Survey

N 50 3/4 E with N line Survey

17.28 \angle Survey line North, line 82 \angle

and S 12 W Bull's Line

25.95 N 2 \angle Survey $\frac{1}{2}$ of N 2 \angle Red Wilson

Start N 2 \angle Survey S 11 1/4 W with S line Survey

26.40 Survey \angle Birch old tree 30' S 20 W 5 1/2 l

Survey N 7 1/2 E with a N line of Survey

Survey 15 $\frac{1}{2}$ of Survey 6.68 Survey $\frac{1}{2}$ of W 2 1/2 4563

18403 Feb 13 - 86

a S line from court from page 91
 Then course of dist - N 79 E 16.68
 to old stake 15 links N of J. end of N 14.53
 Thence with an S line from $\frac{2}{3}$ of line 14.53
 S 10 1/4 W add 25 links to call dist on this line
 30.48 ^{+90°} < K. W. M. < A. H. Windham in 14.53
 34.38 ^{+90°} old transit line 11 59.37
 35.74 ^{+90°} S line < J. < Wilson and Windham
 Thence with S line to Wilson & Windham
 N 87 3/4 W
 18.98 < S line $\frac{2}{3}$ of dist. $\frac{2}{3}$ of dist. page 91
 Thence S 12 W with S line
 12.32 county line

18393 Feb 23 - 86

Start at S. M. < Stamate at N. E. < Houshins
 in S line from 12 277 - 500.0
 with lines Stamate west
 S 10 ⁺⁺ E line Stamate $\frac{2}{3}$ of S line
 2.61 county line at 1367.33
 5.46 cut Walnut road, from S to 3 1/2 S. from
 < Shieffer to point 4 above from Jim Stamate
 2.9.59 Run - turn 2d down
 Fall 56 links east of S. line. S. line 2.9.69
 Then course of dist S 9 E 2.9.69
 Feb 24 - 86 lovely sometime day in Feb
 Thence line Stamate $\frac{2}{3}$ of dist. $\frac{2}{3}$ of dist. line
 S 44 E Random
 15.57 strike Elm 12 < turn Houshins at
 west line P. (then called oak in deed)
 35.50 S. line P. west on oak
 27.25 South < Stamate in S line from
 10.50 S. Road on South from P.
 Fall 6 links east of S. line $\frac{2}{3}$ of dist. down

Mid Stake South \leftarrow Survey S W \leftarrow ¹³³⁸⁴
₁₃₃₄₁
 in X line Survey 10523

Ash old \leftarrow tree 22" dead. N 48 1/4 E 13 links

Yes Maple stump, old \leftarrow tree 28" S 41 1/2 W 11 "

Yes Oak " " " 20" N 30 E 5 "

Yes Elm 20" N 42 1/2 W 29 links

Yes Elm 28" N 4 E 38 "

Start at South \leftarrow Survey station (34E)

Random N 14 1/2 E Survey line

18.50 Gull 35 links east of \leftarrow Survey

Survey corner \leftarrow of dist N 13 1/2 E 18.50

Orig \leftarrow trees all gone. Set stake at \leftarrow corner

old ash 6" N 66 1/4 E 4 3/4. Elm 14" S 19 1/2 E 8 1/2 links

Hence with Survey line

Random S 86 E

6.20 ash 6" made \leftarrow tree. all orig \leftarrow trees
 gone. Gull 8 links south of \leftarrow

Survey corner \leftarrow of dist S 86 1/4 E 6.20

Hence with Survey line N 11 3/4 E

13.71 S W \leftarrow Survey 13403 \leftarrow Survey

Milam in W line Ham. Herod

12277-1000-a-Feb 11-86

Start out Stamata road at point shown
to Richard T. Grinnick as site old line thru
Richland Co of Stokes Township, Laime
at 14 1/2 links from center small Bar

N 36° Random line

5 line old Grarden land of 3 line link 10 a
5.38 pass 40 links east of S 2° Grarden land
of S 00° of B. Timberlake 10 a.

9.00 E line Grarden W line Timberlake 10 a

1549 pass S 81 1/2° W 64 1/2° from Stone W line 10 a
North line Timberlake 10 a = N 81 1/2° E

Course of County Line N 86° 45' W

1968 to Transit line at 1421.20

1952 County line < Richland Co of Stokes Twp
start at intersection To. Line of Transit line
S 96° 45' E 5.36 to link 1415.84

" " 1253 " " in Road E line Survey
at 1410.37

1255 center road & line Survey = 1410.35

12277

5/11-10-86

Start at large round stake SSE \angle Sun
and SRR \angle Sun 13403

S 81 1/2 W with

6.40 cent Hunter \angle Round H pipe
at 5 1/2 links east from cent gravel
con to Mr Wilson \angle Joe McMahon

with cent pipe from S line Survey
S 6 E

11.45 cor Joe McMahon \angle Joe Phifer et al
12.50 angle in pipe

S 16 E

212.95 SSE \angle Phifer in S line \angle S
or line Stamatis at SRR \angle S

Wilson, and S 46 W 7.15 from SRR \angle
Stamatis - SSE \angle Sun ¹³³³⁴
13341

S 16 E 34.34 angle in pipe

S 24 E 43.05 stone \angle Stamatis and Robt Wilson
and any

S 23 1/2 E 46.04 " \angle " " "

at Ang in pipe

12277 ¹³³⁷⁴
₁₃₃₄₁

on pipe cont.

S 30 3/4 E

47.05 center of Stamatis road runs
about 20 ft

S 69 1/2 W to Stamatis house corner

then SRR about 40 poles

50.56 line of Sun ¹³³³⁴
13341 \angle Sun 13403

12277 500 a.
Feb 11-86Start - S E < Dur "a" in W line 13403
with S line Dur $\frac{1}{2}$ W line 13393.

S 46 crest

7.18 crest pike < Wth Wilson $\frac{1}{2}$ Wth Phifer33.00 E. Aug in Stamata road S 43 $\frac{1}{2}$ E56.86 Elm 18" < Stamata $\frac{1}{2}$ Houshins South

60.20 county line or 32 14 links from

1370.16 of Transit line

Set stake for monument in Dur line

and set another stake beside it under Co. line

Bearing of county line or 86° 50' W Feb 22-86

62.00 stake for dist.

63.69 crest Stamata road < Phifer $\frac{1}{2}$ Dur W lineAngle in Dur line from S 46 $\frac{1}{2}$ W87.63 or or < R Houshins in Dur ¹³³⁸¹ 13381with Bush eye stump or 1337 $\frac{1}{2}$ Elm 18"S 5 $\frac{1}{2}$ E or 25 $\frac{1}{2}$ W $\frac{1}{2}$ Bush eye 16" or 48 $\frac{1}{2}$ E 39 $\frac{1}{2}$ WThence S 46 $\frac{1}{2}$ W on Dur line

9500 South margin point dug land from north

12277 500 a

S line cont

S 46 $\frac{1}{2}$ W

100.00 Enter open prairie to road side or 43

118.00 enter timber wet land, Swamp alk

142.00 leave timber enter wet prairie

137.00 set stake

197.50 Black Ash snag 9" marked dist

Start here and chain or 46 $\frac{1}{2}$ E 997 1/2

crest line 12277-1000 a = E line

Wth Dur 12276, at or 9 $\frac{1}{2}$ W

4.36 ch from SW < 12277 Supp 104

Feb 25-86

Start at or E < for Phifer in crest pike

S 69 $\frac{1}{4}$ W with his W line37.40 < Wth Mahan John $\frac{1}{2}$ Moore Wth on or7.43 crest widow road < Phifer $\frac{1}{2}$ Moorewith road and 62 line Phifer $\frac{1}{2}$ W line across

or 260/95 8.37 aug in road

or 190/4 E 1337 " " "

or 284 E 9.00 " " " < Moore land

Ch line Moore $\frac{1}{2}$ Phifer from road

18277 - Feb 20 - 86

From cut-kidney road \leftarrow Moore $\frac{E}{S}$ Phifer
 S 51 $\frac{1}{4}$ W on W line Phifer, old stake standing
 along the line no fence

18278 old \leftarrow Stake in E line Warden et al.

cut, Buckeye 9" B 60 $\frac{1}{2}$ E 17 links

do. White Oak 12" N 73 $\frac{3}{4}$ E 19 $\frac{1}{2}$ links

These along line W line Phifer $\frac{E}{S}$ & L. Ward

+
 S 10 $\frac{1}{4}$ W

37.19 Red Birch line then 20"

47.59 county line

49.62 Stake $\frac{N}{S}$ \leftarrow Timberlake ^{see 100} 10 $\frac{3}{4}$ links E of stone

60.58 cut - Stamato's road S E \leftarrow Timber 102

at S 67 $\frac{1}{2}$ W 15 links from \leftarrow dam

By Judge Timberlake

With Stamato's road $\frac{E}{S}$ line Phifer

N 75 $\frac{1}{4}$ E 11.00 ang in road

N 82 $\frac{1}{4}$ E 11.00 " " "

N 71 $\frac{1}{4}$ E 13.21 " " "

S 85 $\frac{3}{4}$ E 5.87 " " " at S line

Dam in W line R. Hanchins land. page 100

Feb 10 - 86

12277-1000 a.

Start at Hick in W line of surr
at SW \angle in Patrick

S $9\frac{1}{2}$ E with surr line

4.45 SE \angle Cherry land \leftarrow set this day by
M. H. McCormick. Lake

4.46 NE margin of Reservoir

31.04 Random line at 18753 chump 11

35.40 ^{fall 4 links east of}
S $9\frac{1}{2}$ \angle surr at point mid way between

Hick 24" \angle Blue Ash 20" 2nd down

ash broken off 12" above ground.

at S $9\frac{1}{2}$ E 20 links. Hick or $9\frac{1}{2}$ or either

at 13.00 enter timber

" 2800 leave " enter Res

Put down good pencil mark stake at surr \leftarrow Start at stake as near from SW \angle surr inRes. at Hick \angle Ash S $9\frac{1}{2}$ W

4.36 pass Random line

7.40 enter timber

8.65 Red Oak 20" cut notch line & side tree

11.02 pass or side ash 1" d. put 2 marks on side

12277-1000 a. Feb 11 - 86

W line surr from SW \angle N $9\frac{1}{2}$ W

13.11 Elm 4" line marked stakes by 1813

15.50 Elm 7" line stakes 1813

22.40 S margin Res. leave timber

marked line through timber 1813

30.95 stake SE \angle Cherry land or margin Res35.21 stake at way 17-18 for 2" \leftarrow Patrick

35.40 Hick 20" split down claimed by Mitt.

Patrick as his SW \angle , measured this dist

twice see page 104

43.56 SE \angle cherry SE \angle old Johnson tract

59.43 center road stake & trace by M. H. C.

road runs S 79 W \angle S $74\frac{1}{2}$ E to Hick

72.40 set stake in S side Rand Prairie

73.80 set stake

83.61 stake in prairie surr \leftarrow 12276Random S $74\frac{1}{2}$ W, c. c. S $7\frac{1}{2}$ W111.36 Willow ^{30"} line tree east 13 links

97.07 county line in prairie

at our stop see link 12276. Dist stake S $61\frac{1}{2}$ W $9\frac{1}{2}$ W

old stake given 1869 E 17 links see page 104

13277, 1000 a, Feb 11-86

Start at S C L Spinkulake in cent Stamato
road. in east line runs with sun line
and road $05^{\circ} 10\frac{1}{4} E$. OK

1.00

11.05 Stake sticks east of atom think. $022^{\circ} 10a$.12.95 Transit line, $0^{\circ} 14 10.35$
^{2 links E}

13.09 county line

Set stake in Mon 25 feet east from
cent road $\frac{1}{2}$ Sun

Get Red Oak $12^{\circ} 05 51\frac{1}{2} W$ 4 $3\frac{1}{4}$ linksalso Cherry $10^{\circ} S 48\frac{3}{4} E$ 14 $\frac{1}{4}$ "also Red Oak $14^{\circ} 05 06 E$ 23 "

Went along Stamato road.

Start at Spinkulake S 2 C cent Stamato
road with road $S 67\frac{1}{2} W$

4.25 ang in road $S 49\frac{1}{2} W$

6.75 under culvert in road

7.395 Township line Richard $\frac{1}{2}$ of Stobis14.63 ang in road $S 53\frac{1}{2} W$ 11.61 Set stake in Mon $\frac{1}{2}$ of Stobis

13277, 1000 a Feb 11-86

Stamato road cont.

Thence $S 79\frac{1}{2} W$

Set stake on S side of road at 12 ch

13.26 supposed to be line of $\frac{1}{2}$ M. Patrick
Thence $S 79\frac{1}{2} W$ with cent roadWest line Sun $\frac{1}{2}$ Mile, setWest line of Sun from S W $\frac{1}{2}$ is $07\frac{1}{2} W$ 43.86 to $\frac{1}{2}$ cherry $\frac{1}{2}$ Johnson
in or line Patrick then angleThence $05^{\circ} 9\frac{3}{4} W$ to 83.6 ^{Surr. 72276} old $\frac{1}{2}$
in round prairie, Thence $07\frac{1}{2} W$

12277, 1000 a, Feb 12-16

Start at Stake in Round Prairie

S.E. < Survey 12276

Random at $N 7 1/2 W$ corner corner $N 8 1/2 W$ (5193-24.18) 27.75 Millers ^{line tree} $30''$ East 1/3(67.64-24.18) 43.46 Oak 24" in dia east 1/3 line
measure without corner north.(87.26-24.18) Stake < S on Bates land $526 S 70 1/2 E$

39.64-24.18) = 15.46 county line

Return of Co line $N 8 1/2 W$ corner" west line of Survey $N 7 1/2 W$

Returned to Stake S.E. < Survey 12276

in round prairie. Set a new stake

In true corner of Survey at $N 8 1/2 E$ 9

links from old stake. In 1st page 10'

re-measured north from stake < Survey

 $N 7 1/2 W$ to ditch

15.32 Transit line at

~~15.32~~
15.46 corner line at 44.67 fromAuglaji $\frac{2}{3}$ of Hardin county

Set flag-stake lowdown in Mon

in Survey of Co line in prairie

99.07 from S.W. < Survey $N 7 1/2 W$ 15.46 S.E. - 12276

12277, 1000 a, Feb 12-16

Start at Stone < Auglaji/Hardin Co

S $86 3/4 E$ on transit line

44.67 to West line Survey 12277

= 147.81 of transit line

Start at stake west line Survey

S $86 3/4 E$ with transit line56.61 ^{actual measurement} to Township < = 1,421.20 in page 97

12276

Start at Stake on prairie S5 & Dur

N 7 1/2 or 15.46 county line

" 113.25 S7E & Dur.

13334

13341

Feb - 24 - 86

Start at west Survey line - Windham
 sup H. Hamad.

Line with 6 line Windham.

\$79c.

9.59 cent Hunter of Point Pike

Line with cent pike

\$16³/₄ c

4.00 - Windham of E. P. Wilson

Line with line Windham of Wilson
 East (actual corner) Fall 86. or 2

46.82 or 2 - E. P. Wilson of SE - Windham

Ort Sugar 11" old & tree N 44 1/2 E 10 1/4 links

Sugar 14" " " S 44 1/2 W 10 1/4 "

Line with Survey line

N 12 1/2 E - Random c.c. N 12 E

10.54 Fall 6 links east of - house line

or or 2 - Survey line 13694 or 12798

and 5 or 2 - Survey 12279

Ort Ash old & tree 36" S 55 E 12 1/2 links

Sugar 36" old & tree N 82 1/2 W 13 "

13334

13341

Feb 24 - 86

Ort Lynn Magdred 48" old - tree N 72 E 16 links
 Jane corner & Dist 12.84

Line with line Middle

Random N 7 W c.c. = N 7 1/4 W

10.47 Transit line

10.62 county line N 86 50' W

24.75 corner Windham, H. Hamad of
 William Mills

Fall 35 links east of corner
 correct corner

Ort Aug. 24" ^{old orbit tree} N 75 E 6 links

Line with line Windham of W. Mills

Random S 81 W. c.c. = S 81 1/4 W

10.40 - Mills of Windham

Fall 3 links south of -

Start or 2 - Windham in E line Wilson

N 82 E Rand. Fall 67 South, c.c. = N 81 1/4 E

16.88 Township line N 82 E of Rose, Top

22.09 - Windham of Mills

Ort Ash 24" N 57 1/2 E 7 links, cold high

cent - 115

Feb 22nd 1886McDonald and Roundhead Tree
lines.Start in Public Road on the line
and line Spruce

Random S 9 E

At 1/2 line Paythess line find old stake
supposed to be survey

Find no trees or other line marks

Strike Transit line at 126657 Feeg

57 1/2 links west of 126657 635

On land of A. Windham

Feb-25-86

Continued from top page 113
then with line Windham and Mills\$11 1/2 or 10.37 & Mills E of Windham
at end of line S 87 W ^{10.40} page 113.

12178 Feb - 21 - 86

Start at stake on SW corner, see page 112 for

Rand. N 86 E

10.36 pass 13 links south of Burr Oak 20°

line then

Set on much south 34°

along corner to NW 1/4

Start 20 links south of oak

Find line true to 652

22.21 county line, at 1234.93 of E. line

Set stake for Mon on SW line

with bearing 8° 32' 4" E 39 links

also link 3" N 52 1/4 E 19 1/2 links

24.20 by 28" SW line true

24.38 "Elm 30" " "

36.95 cent. post road

93.70 large stone near 28" line on east

side of road N E < SW ² N 1/2 SW 1/4

Find 93.70 to be 30 links to mark

east by running line from south

corner dist - 93.70

12178 - Feb - 26 - 86

Start at SW < SW

Run with E line SW

S 8 1/2 E

20.17 cent road & Hwy. Hamad

30.28 stake 10 ch. from south

33.87 county line, set stake for Mon.

Start at 0 1187.45 with Spanish line

1 86 1/2 E - 22.07 to post SW 1/4 14 links

from Monument stake for cor. line

and E line SW

40.28 SW < F. Hamad ² N 1/2 J. Carver

59.70 SE < SW

Start SE < SW, then on eastward

55.4 cent. Railroad road

51.55 SW < SW

12178 - Feb 26 - 86

Start at S E < Windham E / N E < S E.

Wilson in W. line of Dur. on page 112

S 11/4 W Random c c S 12 W

Fall 32 links east from S or < Dur.

2448 S or < Dur., E 13 E < S E W.

Samuel Kinsinger
Jann Durr.

Leon Cushing }
James Coen } cher

D. A. Kinsinger mkr

J W Millner "

Start at stone in ang part road

S 92° E 2 - S 2 - R 14 and

S 92° E Samuel Kinsinger fam

at 869 ft with road E of Sec line

at 2442' cut main track

2nd Dir Proj 4 Ry.

at 2677' dist S 92° E

Right of way from cut main track

at road = 45 1/2, at 400 = 31

" 800 = 27.5, " 1200 = 44.5

" 1600 = 48. ✓, " 2000 = 48. ✓

" 2400 = 49. ✓, " 2800 = 49. ✓

" 3000 = 49. ✓, " 3200 = 49. ✓

319.
1425
97391.5
43.5

124.00
124.48
754.

Ang meas at Ry E of Sec line

N 82° E = 63° 58', course = N 30 1/4° E

1st ang on Ry curve

at 754' Ext ang = 4° 10'

" " course = N 34 1/2° E

2nd ang on Ry curve at tang

at 1635. Ext ang 10.36'

" " course N 36.8° E on tang

30.815' E line sec. E of cut Ry.

3rd ang at sec line

course S 85 1/4° E line sec

at 904. course stone N 82° E

Sec 2, S 2 - R 14

Start at stone stone S on Sec line

S 92° E

at 2652.5' stone S 92° E

place of beg.

Del Area = 104.442 - 30.4 R of R = 101.402

List of Monuments

- 1, at pike on Dur 9960 on Transit Book
- 2 W line " " page 7.
- 3 N " " 9959 " 12
- 4 N. side Dickinson road Dur 12280 pg. 16
- 5 W. line Dur 12280 " 18
- 6 E. Corb. line Ridge. Dur 102139 " 22
- 7 near 2 poles, east of planted stone at 142 east of
- 8 On west side pike at ang curb on 2 st
- 9 " West St. " " 26
- 10 on S side R.R.
- 11 W. line Dur 102139 page 29
- 12 Cor. Bch. & Beach Sp. Dur 9978 " 33
- 13 W line Dur 9978 " 33
- 14 at Aug in 20 line 9977
- 15 on S line 9991
- 16 " W "
- 17 " 25' E cent pike 9992
- 18 W line Dur 9992 page 43
- 19 East side Elliston, ^{on R & B.} pike " 45
- 20 W line 9991 " 46
- 21 N " 10502 " 52

July 7th 1886

Planted stone 9 1/2 feet E on cent grass pike

at stake

July 5th 86s in road and 2 bor of iron pipe 6 ft E of fence
east grass pike

planted stone at stake

" " 50' from cent. R.R.

" " at stake

" " " "

planted 13' E of front travel road, 118 3/4 + 5 2 3/4 feet to

planted stone 64 links or 2343 from the line 11 W of pike

Planted stone at stake

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

July 9th 1886

List of Monuments

- x22 W. line Deer 13079 page
 23 at Bellocent pike E of RR
 24 at Railroad
 25 W. line Deer 14032 page 68
 x26 " or " " 9989 " 74
 x27 " W. side Bellocent R. pike " 78
 28 " W. line Deer 14159 " 82
 29 " or " " 9997 " 86
 30 " E " " 12175 " 117
 31 " or " " " " 116
 32 at line Windham & Linneman ¹³⁰⁸⁴ 13241
 33
 34
 35
 36 at Stamate road Deer 13395 page 89
 37
 38 at E line Deer 12277 Road page 106
 39 " W " " 12277 " 108

July

planted stone at stake

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

To be set by Colonel on Deer Linn lands