



Farm Surveys • Lot Surveys • Topography • Subdivisions • Construction Layout

143 EAST COLUMBUS AVENUE BELLEFONTAINE, OHIO 43311 (513) 593-7335

JEFFREY I. LEE, P.S.

QUALITY FARM AND FLEET (4.679 ACRES)

Lying in Section 33, Town 4, Range 14, City of Bellefontaine, Lake Township, Logan County, Ohio.

Being the remainder of the original 13.07 acres in the name of Quality Farm and Fleet, Inc. as deeded and described in Volume 362, Page 784 of the Logan County Records of Deeds and annexed to the city March 9, 1981 per the Annexation Map on file in the Logan County Recorder's Plat Cabinet 'A', Slide 613, and being more particularly described as follows:

Beginning at 5/8 inch iron rod found on the east right-of-way of South Main Street (U.S. Route 68) and being 40 feet at right angles from the center-line and on the south right-of-way of Kent Drive and being 30 feet at right angles from the center-line.

THENCE, with the south right-of-way of Kent Drive, S 86°-14'-02" E, a distance of 490.03 feet to a 5/8 inch iron rod found.

THENCE, with the west line of the Jadoville Allotment (Plat Cabinet 'A', Slide 713 A), S 4°-03'-16" E, a distance of 420.00 feet to a 5/8 inch iron rod set.

THENCE, with the north line of the original Donovos' 8.07 acre tract (Vol. 380, Pg. 360) and the Michael J. Hall 0.691 acre tract (O.R. 38, Pg. 129), N 86°-12'-29" W, a distance of 489.97 feet to a 5/8 inch iron rod set.

THENCE, 40 feet easterly and parallel to the center-line of South Main Street, N 4°-04'-00" W, a distance of 419.79 feet to the point of beginning.

Containing 4.679 acres.

The basis for bearings is based upon the center-line of South Main Street being N 4°-04'-00" W, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Company on July 6, 1992.

Deseription prepared by:

offrey 1. Lee


Professional Surveyor 6359

August 2, 1992

L 636

ORIGINAL STATE OF IN GREEN







Farm Surveys • Lot Surveys • Topography • Subdivisions • Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311

(513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEF. P.S.

#### NORTH 4.97 ACRES OF QUALITY FARM AND FLEET 13.13 ACRE TRACT (DEED SHOWS 13.07 ACRES)

Lying in Section 33, T-4, R-14, Lake Township, in the City of Bellefonatine, Logan County, Ohio and being the north part of that 13.07 acres as described and recorded in Volume 362, Page 784 of the Logan County Records of Deeds and more particularly described as follows:

Beginning at a point in the center-line of U.S. Route No. 68. Said point being the northwest corner of a 13.07 acre tract and the southwest corner of a 60.0 foot wide strip of land lying in the name of C. Lyman Baker etal. This point lying N  $4^{\circ}-04^{\circ}$  W, a distance of 1682.5 feet from the south line of Lake Township.

THENCE, along the south line of said 60 foot strip, S 89°-12' E, a distance of 530.3 feet to an iron rod, passing an iron pipe set in the highway right-of-way line at 30.3 feet.

THENCE, with the east line of the 13.07 acre tract, S 4°-04' E, a distance of 420.00 feet to an iron pipe.

THENCE, N 89°-12' W, a distance of 530.3 feet to a point in the center-line of U.S. Route No. 68, passing an iron pipe set in the highway right-of-way line at 500.0 feet.

THENCE, with the center-line of the highway, N 40-04' W, a distance of 420.00 feet to the point of beginning. Containing 5.06 acres, of which 0.38 acre lies within the street dedication (40 Feet). Leaving a net of 4.68 acres.

Last previous deed reference: Volume 362, Page 784.

20-1 3741

Surveyed by:

Reg. Surveyor No. 6181

1-24-78



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311 (513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

### SOUTH 7.46 ACRES OF QUALITY FARM AND FLEET 13.13 ACRE TRACT (DEED SHOWS 13.07 ACRES).

Lying in Section 33, T-4, R-14, Lake Township, in the City of Bellefontaine, Logan County, Ohio and being out of that 13.07 acres as described and recorded in Volume 362, Page 784 of the Logan County Records of Deeds and more particularly described as follows:

Beginning at a point in the center-line of U.S. Route No. 68. Said point lying S 4°-04' E, a distance of 420.00 feet from the northwest corner of said 13.07 acre tract.

THENCE, S 4°-04' E, with the center-line of said U.S. Route 68, a distance of 669.5 feet to the southwest corner of the 13.07 acre tract. This point lying N 4°-04' W, a distance of 593.0 feet from the south line of Lake Township.

THENCE, with the south line of the 13.07 acres, S 86°-12' E, a distance of 530.3 feet to an iron rod at the southeast corner of the 13.07 acres, passing an iron rod set in the highway right-of-way at 30.3 feet.

THENCE, with the east line of the 13.07 acres, N 86°-12' W, a distance of 669.5 feet to an iron pipe. This point lying S 4°-04' E, a distance of 420.00 feet from the northeast corner of the 13.07 acres.

THENCE, N 86°-12' W, a distance of 530.3 feet to the point of beginning, passing an iron pipe at 500.0 feet. Containing 8.07 acres, of which 0.61 acre lies within the street dedication (40 feet). Leaving a net of 7.46 acres.

Last previous deed reference: Volume 362, Page 784.

(3741) 20-2

M. LEE 6181 0 WILLIAM OF OF OFFICE OFFICE OF OFFICE OFFICE

Surveyed by:

Clayton M. Lee

Reg. Surveyor No. 6181

1-24-78



SCALE ~ 1" = 60'

The accompanying plat represents a subdivision of land in Section 33. T-4, R-14 Between the Miamis Survey, City of Bellefontaine, Lake Township, Logan County, Chio. The tract has an area of 0.24 acres in streets and 12.89 acres in lots, making a total of 13.13 acres.

All measurements are in feet and decimals of a foot.

I hereby certify that the accompanying plat is a correct representation of the property of Quality Farm & Fleet Inc. as surveyed November 15, 1976.

SURVEY OF LAND DIVISION OF QUALITY FARM & FLEET INC. PROPERTY ON S. MAIN ST. BELLEFONTAINE, LAKE TWP., SEC. 33, T-4, R-14 B.T.M. LOGAN COUNTY, OHIO

### STREET DEDICATION

Being an additional ten feet off the west side of the delineated property to a line running 40 feet easterly from and parallel to the center-line of South Main Street and more particularly described as follows:

Beginning at the northwest corner of the shown property. This point lying easterly 30 feet, measured at right angles from the center-line of South Main Street.

THENCE, parallel to and 30 feet easterly from said center-line, S 4°-04' E, a distance of 1089.5 feet to a point at the southwest corner.

THENCE, with the south property line, S 86°-12' E, a distance of 10.10 feet to the new street dedication line. This point lying 40 feet, measured at right angles, from the center-line of South Main Street.

THENCE, parallel to Main Street, N 49-04' W, a distance of 1089.5 feet to the north property line.

THENCE, with the north property line, N 86°-12' W, a distance of 10.10 feet to the point of beginning. Containing 0.24 acre.

### 20 FOOT UTILITIES EASEMENT

Beginning at the northwest corner of the shown 7.46 acre lot ( 40 feet measured at right angles from the center-line of South Main Street.) THENCE, with the north line of said 7.46 acres, S 869-12' E, a distance of 489.92 feet to the northeast corner of the seid 7.46 acres.

THENCE, with the east property line, S 4°-04' E, a distance of 20.19 feet.

THENCE, parallel to end 20 feet from the north property line, N 86°-12' W, a distance of 489.92 feet to the new west property line at 40 feet easterly from the center-line of South Main Street.

THENCE, with said new west property line, N 40-04' W, to the point of beginning.

DEDICATION

KNOW ALL MEN BY THESE PRESENTS. That QUALITY FARM & FLEET INC., Proprietors of the land indicated on the accompanying plat, have authorized the platting thereof and do hereby dedicate the street to the public use forever.

STATE OF MICHIGAN MUSKEGON COUNTY

Before me, a Notary Public in and for said County, personally came W. Kichard Wilt Js., who acknowledged the signing of the foregoing instrument to be their voluntary act and deed for the uses and purposes therein expressed.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 1th day of Musch, 1978.

Notary Public

The shown 10 foot additional street dedication is hereby approved and accepted for public use and maintenance and the shown 20 foot easement accepted for public use by Ordinance No. 78-29 recorded in City Council's record book \_\_\_\_\_ on this \_// \_\_\_ day of \_\_\_\_\_\_\_, 1978.

Approved this 21st day of MARCH, 1978 Michael M. Boce

Logan County Health Dept.

Approved this 21 day of March , 1978 Cherletky

Transferred this 17 TH day of AUGUST, 1978 May & Slate Filed for record this 17 day of Quaguat , 1978, at 303 F. m.

Recorded this 17 day of Quaguat , 1978, in Flat Book 6 F., Page 105

Latellan County Recorder

(3741)2P MADEXED ON MAP



Farm Surveys • Lot Surveys • Topography • Subdivisions • Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311

(513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

#### DINOVO TO MARKER

Lying in the southeast quarter of Section 33, T-4, R-14, Lake Township, Logan County, Ohio.

Being out of that 8.07 acre tract deeded and described in Volume 380, Page 360 of the Logan County Records of Deeds and more particularly described as follows:

Beginning at an iron pipe found on the north line of said 8.07 acres a distance of 40.0 feet easterly, when measured at right angles, from the center-line of South Main Street (U.S. Route 68).

THENCE, with the said north line of the said 8.07 acres, S 86°-12' E, a distance of 304.00 feet to an iron rod set for the northeast corner of this survey.

THENCE, parallel to the highway, S 4°-04' E, a distance of 100.00 feet to an iron rod.

THENCE, parallel to the north line, N 86°-12' W, a distance of 304.00 feet to an iron pipe set on the east line of South Main Street at 40.00 feet at right angles to the center-line of said street.

THENCE, with the east line of South Main Street, N 4°-04' W, a distance of 100.00 feet to the point of beginning. Containing 0.691 acre.

The above tract subject to a 24 foot wide drive easement, running, from its' south line to the south line of the Quality Farm and Fleet Inc. (Volume 362, Page 784) 5 acre tract, the center-line of which is parallel to and 42 feet distant from the east line of South Main Street when measured at right angles.

3741) 3D Surveyed by

Clayton M. Lee

Reg. Surveyor No. 6181

5-5-80



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311 (513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

### DINOVO TO MARKER 35 Foot Access Drive Easement

Lying in the southeast quarter of Section 33, T-4, R-14, Lake Township, Logan County, Ohio.

Being across that 8.07 acres (7.379 acres remaining) deeded and described in Volume 380, Page 360 of the Logan County Records of Deeds and being a strip of land 35 feet wide. The center line described as follows:

Beginning at a point in the west line of said 8.07 acres, which is a distance of 40.0 feet easterly, when measured at right angles, from the center line of South Main Street (U.S. Route 68). Said point lying southerly along said west line a distance of 117.50 feet from the northwest corner of said 8.07 acre tract and 17.50 feet southerly from the southwest corner of a 0.691 acre tract out of the said 8.07 acrestract.

THENCE, S 86°-12' E, parallel to the south line of the said 0.691 acre tract, a distance of 60 feet to the terminus of this easement.

WAN EAGUILL

Prepared by:


Jeffrey I. Lee

Reg. Surveyor No. 6359

May 12, 1980

(3741) 3D -2

L 538 - 5B



1-529-57

#### HEBRY DESCRIPTION (Nov., 1964)

Being situated in Section 35. Town 4, Range 14, Lake Township, Logan County, Ohio.

Beginning at a point in the center of State Route #68 that bears N 4°-04'W 595.0 feet from where the south line of Lake Township intersects the center of State Route #68. Said beginning point is also the northwest corner of K. Warner's 5.07 sere tract.

Thence with the center of State Route #68 H 40-04'W 1089.5 feet.

Thence S860-12'E 530.3 feet to an iron, passing through an iron at 30.3 feet.

Thence S 40-04'E 1089.5 feet to an iron in the north line of K. Warner's 3.07 acre tract.


Thence with said north line of K. Werner's 3.07 acre tract M66°-12'W 550.3 feet to the place of beginning, passing through an iron at 500.0 feet.

Containing 15.07 acres more or less.

Owen K. Shirk Surveyor #4271

(3741) 410

INDEXED ON MAR



BELLEFONTAINE, OHIO DANIEL E. GILBERT, REG. SUR. No. 5402 2 5.17 400,001 P.S. BAR FO 00 O'AVEYOR ×. 860 -0.80.No. 78-29 ... (7.11-18.78) S. 86°12'E SONESSION S DANIELE GILBERT 5402 6.66 h 0 PER. PAR. No. 17-106-12-03-004 MICHAEL J. AND NORDA J. HALL EXISTING PHOTOGRAPHY UNLIMITED DINOVO'S INC. QUALITY FARM & FLEET, INC. 6.769 Acres 150,00 OFF Rec. 36 p. 120-123 Voc. 362 P. 784 (3-31-76) INDEXED ON MAP 7.60 BUILDING 3741 EASEMENT ACRES 30%.00 304.00 SECTION 33 T. Y R. 14 BMRS CITY OF BELLEFONTAINE LAKE TOWNSHIP 0.691 PHOTOGRAPHY LOGAN COUNTY, C Alugust 4, 1987 ACRES SCALE: 1"=50" HALL RESURVEY 100.001 4° 04'E UNLIMITED RUBAR SET. REBARSET

Situated in the State of Ohio, County of Logan, Township of Lake and in the City of Bellefontaine, being part of Section 33, Town 4, Range 14 and being a portion of the 0.584 acre tract belonging to the Ohio Land Holding Company as described in O. R. Volume 913, Page 192 and more particularly described as follows:

Beginning at a 5/8 inch iron rod found in the north right-of-way of Kent Drive at the southeast corner of said 0.584 acre tract and a southwest corner of a 0.581 acre tract in the name of F. & S. Associates LLC as is described in O. R. Vol. 885, Page 964 Tract Four, said iron rod being located S.86° -12'-00"E. (this bearing is assumed and all other bearings and distances are as were measured in the field) 296.31 feet along the north right-of-way of Kent Drive from a 5/8" iron rod found at the southeast corner of the City of Bellefontaine, Ohio's 0.683 acre tract as described in O. R. Volume 900, Page 315.

Thence with said north right-of-way line of Kent Drive N.86°-12'-00"W. 74.01 feet to a 5/8 inch iron rod set,

Thence across said 0.584 acre tract N.55°-41'-49"E. 26.97 feet to a 5/8 inch iron rod set, Thence continuing across said 0.584 acre tract N.15°-58'-11"E. 22.32 feet to a 5/8" iron rod set in the south line of said 0.581 acre tract,

Thence with the south line of said 0.581 acre tract, S.47°-32'-30"E. 60.67 feet to a 5/8 inch iron rod found,


Thence continuing with said south line and with a curve to the left having a central angle of 0°-11'-42" a radius of 280.00 feet, an arc length of 0.90 feet and a chord bearing S.47°-38'-01"E. a distance of 0.90 feet to the place of beginning.

Containing 0.028 acres more or less.

This description is the result of a field survey performed by the City of Bellefontaine under the supervision of Timothy L. Notestine, P.E., P.S. #S-7815 on December 15, 2008.







### Kent Drive Right-of-Way Description - TSC Parcel

Lying in Section 33, Town 4, Range 14, Lake Township, City of Bellefontaine, Logan County, Ohio

Being the most southwesterly portion of the existing Kent Drive 60' right-of-way as is recorded in Plat Cabinet A, Slide 713 and dedicated as part of the Plat of Jado Ville Subdivision and being more particularly described as follows:

Beginning for reference at a 5/8 inch iron rod found at the southeast corner of a 0.683 acre right-of-way tract deeded to the City of Bellefontaine, Ohio and as is described in O. R. Volume 900, Page 315, said iron bar also being at the southwest corner of the Ohio Land Holding Company's 0.584 acre tract as described in O. R. Volume 913, Page 192, this iron rod being in the proposed east right-of-way line of U. S. R. 68 a.k.a. South Main Street, 42.5 feet measured perpendicularly east of its centerline;

Thence with the proposed east right-of-way line and the west line of said 0.584 acre tract projected southerly S.4°04'00"E. (this bearing is assumed and all other bearings and distances are as were measured as part of this survey which was performed December 15, 2008) 30.28 feet to a 5/8 inch iron bar set in the existing centerline of Kent Drive at the True Point of Beginning for this description;

Thence with the centerline of Kent Drive S.86°12'00"E. 148.76 feet to a 5/8 inch iron rod set;


Thence across said Kent Drive right-of-way S.24°07'26"W. 31.99 feet to a 5/8 inch iron bar set in the existing south right-of-way line of Kent Drive, said iron bar also being in the north line of Tractor Supply Company's 4.679 acre tract as is described in O. R. Volume 562, Page 784;


Thence with said south line of Kent Drive and the north line of said 4.679 acre tract N.86°12'00"W. 133.50 feet to a 5/8 inch iron bar set in the proposed east right-of-way line of U.S.R. 68 (South Main Street);

Thence with said proposed east right-of-way line N.4°04'00"W. 30.29 feet to the point of beginning.

Containing 0.097 acres which is within the existing right-of-way of Kent Drive.

This description is the result of a field survey performed by the City of Bellerontaine under the supervision of Timothy L. Notestine, P.E., P.S. #S-7815 on December 15, 2008.





Logan County REDEED 2012002656 KBALDWIN NBHLDWIN 05/07/2012 02:24:46 PM RECORDING FEES: \$36.00 GITY OF BELLEFONTAINE

AN ORDINANCE VACATING THE WESTERLY PORTION OF PREVIOUSLY EXISITING KENT DRIVE RIGHT-OF-WAY IN THE CITY OF BELLEFONTAINE, OHIO AND DECLARING AN EMERGENCY IN SAID CITY.

ORDINANCE NO. \_\_

WHEREAS, a petition by persons owning property in the immediate vicinity of the hereinafter described portion of Kent Drive was duly presented to Council praying that a portion of said previously existing Kent Drive right-of-way be vacated; and

WHEREAS, notice of said proposed street vacation has been published in accordance with law; and

WHEREAS, the Planning Commission of the City of Bellefontaine has recommended that Council grant said petition; and

WHEREAS, this Council upon hearing in accordance of the Ohio Revised Code, is satisfied that there is good cause for such vacation; that such vacation will not be detrimental to the general interest of the City; and, therefore, ought to be made;

NOW, THEREFORE, BE IT ORDAINED by the Council of the City of Bellefontaine, Ohio:

SECTION I: That the hereinafter described 0.22 acre portion of the previously existing Kent Drive right-of-way as recorded in Cabinet A, Slide 713, being part of the previously dedicated JadoVille subdivision, as more particularly described in the attached Exhibit "A", incorporated by reference, in the City of Bellefontaine, Ohio, be and the same hereby is, vacated.

SECTION II: That the plat accompanying said petition be referred to the Clerk of this Council for filing with the County Auditor and Recorder as provided by Ohio Revised Code Section 711.39 with any accompanying fee.

SECTION III: That this ordinance is hereby declared to be an emergency measure made necessary to protect the health, safety, and welfare of said City and to allow for said portion of said street vacation at the earliest possible time; and it shall, therefore, be in force and take effect immediately upon its passing and signature by the Mayor.

Passed:, 2012	President of Council
Attest: <u>bonnie</u> Pattison Clerk of Council	Approved: 4.10, 2012 Olan M. Burnon
	Mayor Hawman Rumba Director of Law
STREET COMMITTEE	



#### Kent Drive Right-of-Way Vacation Description

Lying in Section 33, Town 4, Range 14, Lake Township, City of Bellefontaine, Logan County, Ohio

Being the most westerly portion of the existing Kent Drive 60' right-of-way as is recorded in Plat Cabinet A, Slide 713A and dedicated as part of the Plat of Jado Ville Subdivision and being more particularly described as follows:

Beginning at a 5/8 inch iron rod found at the southeast corner of a 0.683 acre right-of-way tract deeded to the State of Ohio and as is described in O. R. Volume 946, Page 782 in the north line of Kent Drive, said iron bar also being at the southwest corner of the Ohio Land Holding Company's 0.584 acre tract as described in O. R. Volume 913, Page 192, this iron rod being in the east right-of-way line of U. S. R. 68 a.k.a. South Main Street, 42.5 feet measured perpendicularly east of its centerline;

Thence with said north right-of-way line of Kent Drive and the south line of said 0.584 acre tract S.86 °12'00"E. with 222.21 feet to a 5/8 inch iron bar found at the southwest corner of the City of Bellefontaine's 0.028 Acre right-of-way tract as is recorded in O. R. Vol. 966, Page 97;

Thence across said Kent Drive right-of-way the following three courses:

S.76 ° 49'44"W. 50.46 feet to a 5/8 inch iron bar set;

S.57°49'58"W. 26.00 feet to a 5/8 inch iron bar set in the centerline of Kent Drive;

S.24°07'26"W. 31.99 feet to a 5/8 inch iron bar set in the existing south right-of-way line of Kent Drive said iron bar also being in the north line of Tractor Supply Company's 4.679 acre tract as is described in O. R. Volume 562, Page 784;

Thence with said south line of Kent Drive and the north line of said 4.679 acre tract N.86°12'00"W. 133.50 feet to a 5/8 inch iron bar set in the east right-of-way line of U.S.R. 68 (South Main Street);

Thence with said east right-of-way line N.4°04'00"W. (this bearing is assumed and all other bearings and distances are as were measured as part of this survey which was performed December 15, 2008) 60.57 feet to the point of beginning and passing a 5/8 inch iron bar set on the centerline of Kent Drive at 30.29 feet.

Containing 0.220 acres which is within the existing right-of-way of Kent Drive.

This description is the result of a field survey performed by City of Bellefontaine under the supervision of Timothy L. Notestine, P.E., P.S. #S-7815 December 15, 2008. Description written October 10, 2011.

Parcel# 17-106-12-03-002-000 17-106-12-03-003-000 DESCRIPTION CHECKED LOGAN CO. ENGINEER BY 5-7-17

