PEZID 6-21-04 8M QU

## SURVEY FOR CHRISTOPHER & JANELLE HARDESTY 0.441 Acre June 16, 2004

The following described 0.441 acre tract is situated in the State of Ohio, County of Logan, Township of Lake, V.M.S. 4990, City of Bellefontaine, being all of Christopher and Janelle Hardesty's 0.5 acre tract described in Official Record 368, page 763, said 0.441 acre tract being more particularly described as follows:

Beginning for reference at a 1 inch iron pin found at the intersection of the centerline of Eastern Avenue (60') with the centerline of Liberty Street;

Thence North 73°22'50" West (assumed bearing) 263.56 feet, following the centerline of Eastern Avenue, to a point;

Thence North 01°01'59" East 31.15 feet, departing from the centerline of Eastern Avenue, to a ¾ inch iron pin found in the north right of way line of said Street, said iron pin marking the southwest corner of Ronald L. and Teresa J. Meeker's 0.90 acre tract described in Official Record 140, page 682, the southeast corner of said 0.5 acre tract, and the place of beginning;

Thence North 73°22'50" West 44.00 feet, following the north right of way line of Eastern Avenue and the south line of said 0.5 acre tract, to an iron pin set at the southeast corner of Richard C. and Kimberly S. Moore's 0.355 acre tract described in Official Record 232, page 801;

Thence **North 00°47'44"** East 212.30 feet, departing from the north right of way line of said Street and following a west line of said 0.5 acre tract and the east line of said 0.355 acre tract, to a ¾ inch iron pipe found at the southeast corner of Curtis L. and Doreen J. Peterson's 0.68 acre Tract II described in Official Record 64, page 910;

Thence North 00°55'27" East 229.98 feet, following a west line of said 0.5 acre tract and the east line of said 0.68 acre tract, to a ¾ inch iron pipe found in the south line of Jamie R. and Tyson Collier's 1.99 acre tract described in Official Record 673, page 868;

Thence South 82°17'45" East 44.00 feet, following the north line of said 0.5 acre tract and the south line of said 1.99 acre tract, to an iron pin set at the northwest corner of said 0.90 acre tract;

Thence South 01°01'59" West 449.00 feet, following the west line of said 0.90 acre tract and the east line of said 0.5 acre tract, to the place of beginning, containing 0.441 acre, more or less, and being subject to all valid easements and restrictions of record.

The above description was prepared from an actual field survey made under the supervision of Paul R. Clapsaddle, Registered Surveyor #6140, during the month of June 2001. Iron pins set are 5/8 inch by 30 inch reinforcing rods with caps marked "Clapsaddle RS #6140." Bearings indicated herein are based on an assumed meridian with all others based on angles turned.

ATTEST:

Paul R. Clapsaddle, R.S. #6140

19019 West Darby Road, Marysville, Ohio 43040

(937) 747-2599



INDEXED ON MAP

# SURVEY FOR CHRISTOPHER HARDESTY State of Ohio, County of Logan, Township of Lake, City of Bellefontaine, V.M.S. 4990, being all of Christopher and Janelle Hardesty's 0.5 acre tract described in Official Record 368, page 763 Jamie R. Collier & Tyson Collier 1.99 acres O.R. 673, page 868 S82°17'45"E 44.00' 2.00, Curtis L. Peterson & Doreen J. Peterson 0.68 acres, Tract II O.R. 64, page 910 0.441 Acre All of Christopher and Janelle N00'55'27"E Hardesty's 0.5 acre tract NOTES: 229.98 described in O.R. 368, Pg. 763 Reference deeds are shown hereon L. Meeker & Teresa J. Meeker,0.90 acre0.R. 140, page 682 Bearings indicated hereon are based on an assumed meridian with all others based on angles turned S01'01'59"W LEGEND: Richard C. & Kimberly S. Moore 0.355 acre 0.R. 232, page 801 3/4 inch iron pin found, Ronald unless otherwise shown N00\*47'44"E 212.30 5/8 inch iron pin set with cap marked "CLAPSADDLE RS#6140" 3/4 inch iron pipe found 8"x10" Wood corner post found Eastern Avenue (60') Place of Beginning N01'01'59"E 31.15 See Detail N73 22 50"W 3/8" 3/8" (assumed bearing) N73\*22'50"W Reference Beginning N61°01'16"E 263.56' Detail 3.81 (not to scale) PAUL R. CLAPSADDLE 6140 SCALE IN FEET I hereby certify that this plat was prepared from 0 40 80 40 80 a field survey made under my supervision and that monuments were placed as indicated hereon. Paul R. Clapsaddle Paul R. Gapsaddle, R.S. #6140 and Associates REGISTERED ENGINEERS AND SURVEYORS

Paul R. Clapsaddle, P.E., P.S.

19019 WEST DARBY ROAD, MARYSVILLE OHIO 43040

Scale: 1"=80' Date: June 16, 2004 Filename: hardesty604 Drawing: hardestyjauelle604.dwg

INDEXED ON MAP 8531



## LESLIE H. GEESLIN

REGISTERED SURVEYOR NO 5248

RUSHSYLVANIA, OHIO 43347

TELEPHONE; (513) 468-2793

#### EASEMENT

## Meeker to Mark Brunson

The following described easement situated in the State of Ohio, County of Logan, Township of Lake, being part of Virginia Military Survey 4490 in the City of Bellefontaine, and more particularly described as follows:

Commencing at a 3/4 inch iron bar found at the southeast corner of Mark Brunson's 0.50 acre tract as described in O. R. Vol. 95 Page 676.

Thence N. 00° 30' 00" E. 15.00 feet to the place of beginning. Thence with said Brunson's east line N. 00° 30' 00" E. 88.00

fe€⊤to a point.

Thence S. 14° 28' 00" E. 39.35 feet to a point.

Thence S. 12° 00' 00" W. 51.00 feet To the place of beginning.

The above described easement being on the west side of Ronald Meeker's 0.90 acre tract as described in D. B. Vol. 365 Page 794.

Bearings are based on said Meeker's west line (N. 00° 30' 00"E.) in this field survey.



Leslis A. Marlin

### LESLIE H. GEESLIN

REGISTERED SURVEYOR NO 5248

P O. BOX 274

RUSHSYLVANIA, OHIO 43347

TELEPHONE; (513) 468-2793

## EASEMENT

## Gilbert to Meeker

The following described easement situated in the State of Ohio, County of Logan, Township of Lake, being part of Virginia Military Survey 4490 in the City of Bellefontaine and more particularly described as follows:

Beginning at a point in the east line of Ronald Meeker's 0.90 acre tract as described in D. B. Vol. 356 page 794 that is  $N.00^{\circ}$  30' 00" E. 42.00 feet from said Meeker's southeast corner.

Thence with said Meeker's east line N. 00° 30' 00" E. 100.00 feet to a point.

Thence S. 2° 55' 15" E. 50.19 feet to a point.

Thence S. 3° 56' 00" W. 50.00 feet to the place of beginning.

The above described easement is on the west side of Edith Gilbert's 0.25 acre tract as described in D. B. vol. 390 Page 594.

Bearings are based on said Meekers east line (N. 00° 30' 00"  $\rm E.)$  in this field survey.



Leslis A. Messlin

### LESLIE H. GEESLIN

REGISTERED SURVEYOR NO 5248
P O. BOX 274

RUSHSYLVANIA, OHIO 43347

TELEPHONE; (513) 468-2793

## EASEMENT

### Meeker to Gilbert

The following described easement situated in the State of Ohio, County of Logan, Township of Lake, being part of Virginia Military Survey 4490 in the City of Bellefontaine, and more particularly described as follows:

Beginning at the southwest corner of Edith Gilbert's 0.25 acretract as described in D. B. Vol. 390 Page 594.

Thence with the north line of Eastern Avenue N. 73° 45' 00" W. 1.50 feet to a point.

Thence N. 7° 01' 30" E. 12.68 feet to a point in said Gilbert's west line.

Thence with said Gilbert's west line S. 00° 30' 00" W. 13.00 feet to the place of beginning.

The above described easement is in the southeast corner of Ronald Meeker's 0.90 acre tract as described in D. B. Vol. 365 Page 794.

Bearings are based on the east side of said Meeker (N.00°30'00"E.) in this field survey.



Leslis A. Misslin

M591-167 MEEKER 58 SCALE: 1"= 30 LEGEND: 0 = 3/4" IRON BAR FO. RONALD L. MEEKER 0.90 ACRE 970 D. B. VOL 365 PAGE 794 ¢' 0 20 RUNSON 4.00°30'00"E. EDITH M. GILBERT 0 0.25 ALRE D. B. VOL 390, PAGE 594 Y 88.00 EASTERN AVENUE EASEMENTS FOR RONALD L. MEEKER'S

0.90 ACRE TRACT IN THE CITY OF BELLEFONTAINE V.M.S. 4490, LAKE TWP. LOGAN COUNTY, ONIO. OCTOBER 16, 1991

LESLIE H. GEESLIN RUSHSYLVANIA OHIO
INDEXED ON MAP
853/2P

(58)

Scale: 1"= 30' LEGEND:

0: 3/4" IRON BAR

6 = UTILITY POLE

30'W

10

0

0.90 ACRE

24.3

GARAGE

MORTGAGE SURVEY OFA 0.90 ACRE TRACT IN V. M.S. 4990. CITY OF BELLEFONTAINE, LAKE TWA LOGAN CO., OHIO. SEPTEMBER 6, 1991

PROPERTY ADDRESS: 649 EASTERN AUE. BELLEFONTAINE, OHIO 43311

MORTGAGE PURPOSES

AVENUE I hereby certify to Citizens Federal Savings and Loan Association and Lawyers Title Insurance Corp. that on  $S_{EFTENRERR}$   $G_{e}$   $G_{e}$  of the premises shown hereon and that there are no easements or encroachments visible on the ground other than those shown hereon. This mortgage survey is not to be used by the property owner to establish property lines.

O.S RET. WALL ENCUDACHWENT

> INDEXED ON MAP 853/ 3P

10

RUSHSYLVANIA, OHIO

V

エフエ

30

0

15,5(2)

88.0

EASTERN