

McPherson - Glett Survey Harrison Township March 1961 8.43 Acres

The following described land in Harrison Township, Logan County, Ohio and being in the S.W. Quarter of Section 12 Town 3 Range 14.

Beginning at an iron at the N.E. corner of the S.W. Quarter of said Section 12 in the center of County Road Number 13 known as the McCully Pike.

Thence with the center of said Road Number 13 N. 85 - 31 W. 30.00 feet for the true beginning point of this survey. Said true beginning point being Station 40 plus 05.6 of Road Number 13 survey as shown in Logan County Engineer's Field Book 598 Page 41.

Thence again with the center line of Road Number 13 N. 85 - 31 W. 371.60 feet to an iron.

Thence S. 4 - 05 W. 869.50 feet to an iron. The last described line passing an iron at the south side of the road at 30.00 feet, and also passing the center of Bokengehalas Creek at 829.50 feet.

Thence S. 52 - 40 E. 442.00 feet to an iron.

Thence N. 4 - 12 E. 1110.00 feet to the place of beginning. The last described line passing the center of Bokengehalas Creek at 51.00 feet, and also an iron at the south side of the Road at 1080.00 feet. This line also being 30.00 feet west of and parallel to the west side of Emery A. Meredith's west line of 128.97 acres.

The above described line containing 8.43 acres and being out of the north side of the present 156.00 acre tract.

cc

Logan County Engineer

2807 1D

INDEXED ON MAP

On Plat Book
3/14/1961
D.E.G.

Received 8-19-87
ok (mk)

LESLIE H. GEESLIN
REGISTERED SURVEYOR NO. 5248
P. O. BOX 274
RUSHSVLVANIA, OHIO 43347

TELEPHONE: (513) 468-2793
GLETT SURVEY

August , 1987

The following described real estate situated in the State of Ohio, County of Logan, Township of Harrison, being part of Section 12, Town 3, Range 14, M.R.S. and more particularly described as follows:

Beginning at a mine spike in the centerline of County Highway 13 that is S. 85° 31' E. (this bearing is taken from F.B. 598 Page 41 and all other bearings are from angles and distances measured in this field survey) 1281.60 feet from a stone at the N. W. corner of the S. W. quarter of said Section 12.

THENCE with said centerline S. 85° 31' E. 370.18 feet to a railroad spike.

THENCE S. 4° 29' W. 460.02 feet to a 0.625 inch iron bar, passing a 0.625 inch iron bar at 53.35 feet.

THENCE N. 62° 18' W. 170.37 feet to a 0.625 inch iron bar.

THENCE N. 25° 53' W. 385.50 feet to a 0.625 inch iron bar.

THENCE N. 11° 12' 10" W. 62.58 feet to the place of beginning.

Containing 2.558 acres more or less.

The above described 2.558 acre tract being on the north side of Harry Glett's 156 acre tract as described in D.B. Vol. 272 Page 235.



INDEXED ON MAP
2807 2D

Leslie H. Geeslin
LESLIE H. GEESLIN
RUSHSVLVANIA, OHIO

Received 8-19-87
(OK) ME



LEGEND :

- A = NINE SPIKE SET
- B = 5/8" IRON BAR SET
- C = STONE FD.
- D = R.R. SPIKE SET

SURVEY OF 2.558 AC. TRACT
IN SECTION 12, TOWN 3, RANGE 14,
M.R.S., HARRISON TOWNSHIP,
LOGAN COUNTY, OHIO FOR
BRIAN GLETT.

SCALE: 1" = 100'
AUGUST, 1987



INDEXED ON MAP
2807 2P

Leslie H. Geeslin
LESLIE H. GEESLIN
RUSHSVANIA, OHIO