Land Surveys • Topography Surveying Subdivisions • Construction Layout and Mapping Co.

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

WARD 1.759 ACRES

Lying in Section 5, Town 3 South, Range 13 East, Between the Miami Rivers Survey, Miami Township, Logan County, Ohio (all records referenced herein refer to the Logan County Records of Deeds). Between the Miami

described as follows: and described in Official Record 477, Page 126 and being more particularly Being out of the Cynthia A. Ward original 23.30 acre tract as deeded

said north right-of-way line of Ohio Route 508 (width varies) and the east line of Section 5; Commencing at a 5/8 inch iron rod found at the intersection of the

following four (4) courses: THENCE, with the north right-of-way line of said Ohio Route 508,

- (1) N 46°-06'-52"W, way monument found; a distance of 489.90 feet to മ concrete right-of-
- (2) N 42°-37'-13"W, a distance of 257.18 feet to a point, passing a inch iron rod found at a distance of 195.87 feet; 5/8
- (3) N 34°-16'-54"W, a distance of 253.63 feet to 104 + 50 (70 feet left); and a point at Station

(+) N 39°-57'-19"W, a distance of 93.68 feet to a point in the center Stoney Creek, at the **TRUE POINT OF BEGINNING**, said point being referenced by a 5/8 inch iron rod set bearing N 39°-57'-19"W, for a distance of 25.00 feet; of

said 23.30 acre tract; a point within the right-of-way of Ohio Route 508 on the southerly line of through said 23.30 acre tract, THENCE, with said center of Stoney Creek, being a new division line 3.30 acre tract, S 37°-27'-44"W, a distance of 62.92 feet t to

a point at a common corner of the said 23.30 acre tract and the Robert J. Pool and Joy Pool 80.339 acre tract as deeded and described in Official Record 1084, Page 137, Tract II; line of said 23.30 acre tract, N 45°-41′-21″W, a distance of 45.32 feet to THENCE, within the right-of-way of Ohio Route 508 and a southerly

acre tract and said 80.339 acre tract and on the south line of the Robert J. Pool and Joy Pool 125.39 acre tract as deeded and described in Official Record 1084, Page 137, Tract I, passing a 5/8 inch iron rod set at a THENCE, with the westerly line of said 23.30 acre tract and the easterly line of said 80.339 acre tract, N 34°-41′-12″E, a distance of distance of 68.37 feet; 1277.86 feet to a 5/8 inch iron rod set at a common corner to said 23.30

THENCE, with the north line of said 23.30 acre tract and the south line of said 125.39 acre tract, S 87°-47'-43"E, a distance of 60.35 feet to 40.35 feet; a point in Stoney Creek, passing a 5/8 inch iron rod set at a distance of

through said 23.30 acre tract, the following five (5) courses THENCE, with said center of Stoney Creek, being new division lines

Surveying and Mapping

Land Surveys • Topography Subdivisions • Construction Layout

117 N. Madriver St.
Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

- \exists S 33°-05'-05"W, a distance of 516.21 feet to a point;
- (2) ១១ 40°-17'-56"W, /8 inch iron rod $0^{\circ}-17'-56''W$, a distance of 112.19 feet to a inch iron rod set bearing N 53°-56'-52''W, a point, referenced by a distance of 15.00 feet;
- (ω) S 28°-00'-58"W, a distance of 159.46 feet to a point;
- (4) S 38°-13'-23"W, a distance of and 5/8 inch iron rod set bearing Z 182.94 feet to a 52°-14'-29"W, a point, referenced by a distance of 20.00 feet;
- <u>(5</u> S BEGINNING. $37^{\circ}-27'-44"W$, a distance of 286.71 feet to the POINT OF

highway right-of-way. Containing 1.759 acres, more or less, of which 0.154 acre is within the

diameter with an orange plastic I.D. Iron rods set, where indicated, are , are 30 inches in length, 5/8 inch in cap stamped "L-8533."

bе used as This parcel is to a separate and independent parcel. be attached to an adjoining tract of land and is not to

of record Property is subject to any and all previous easements and rights-of-way

measured in a field survey by Lee Surveying and Mapping Co. 2018. The basis for bearings, described herein, is the east line of Section 5, being S $06^{\circ}-11'-16''W$, and all other bearings are from angles and distances on January 25,

DANIEL NEER S-8533
S-8533
S-8533
ONAL SURVIVIOLEMENT OF THE ORDER OF T


Description prepared by:

Daniel A. Neer Professional Surveyor No. 8533 February 13, 2018

6

6151217

NDEXED ON MAP



3-1-18