

S. $3\frac{1}{2}^{\circ}$ E. $105\frac{3}{10}$ Poles to a flat stone marked +
 at Jones S. E. corner, from which a Beech
 12 Ln. Dir. bears S. $72\frac{1}{4}^{\circ}$ W. 32 links; a Beech 11 Ln.
 Dir. N. $13\frac{1}{2}^{\circ}$ E. 40 links; & an Skonwood $\frac{3}{4}$ Ln. Dir.
 N. 60° E. 15 links; Thence N. $87\frac{1}{4}^{\circ}$ E. $41\frac{3}{10}$ poles
 to a stone in a County road, near a
 large stump; Thence N. $3\frac{1}{2}^{\circ}$ W. with said
 road, 26 Poles to a stone from which a Beech
 10 Ln. Dir. bears S. $87\frac{1}{4}^{\circ}$ E. $11\frac{1}{2}$ links; Thence
 N. 87° E. $42\frac{6}{10}$ Poles to a stone at Ezra Stiles
 S. W. corner, from which an Elm 9 Ln. Dir.
 bears S. 51° E. 50 links, & a W. Oak 11 Ln. Dir.
 N. 21° E. 55 links; Thence N. 21° W. 50° W. $80\frac{3}{10}$
 Poles to the place of beginning, containing
 $48\frac{5}{100}$ Acres


All the afore named witness trees are
 marked thus 'X' cut in the side facing the
 corner,

Abel Armstrong
 & Ezra Stiles } Chain Men
 I hereby certify that the foregoing plat &
 report are correct, - J. C. Moore,
 Co. Sur. of Legad Co. Conn.

8633

Survey No. 799 -

N. $86\frac{1}{4}^{\circ}$ E. $79\frac{8}{10}$ Poles



Scale
 20 Poles
 to an Inch

Surveyor's Office Bellefontaine Ohio

Nov. 11th A. D. 1858

The plat on the opposite page represents Twenty five acres of land on the North end of the East half, of the South West quarter, of section No. 16 of Town No. 1, and Range No. 8, E. Mer. Me. in Miami Township of Logan County in State of Ohio, as Surveyed on the 23rd day of October A. D. 1858, by me, H. C. Moore, County Surveyor of Logan County Ohio, at the request of Asalom Chamberly of said Township, for the purpose of laying off said 25 acres to Wm. Kellison, and establishing the lines and corners thereof (Said Chamberly having deeded said 25 acres to said Kellison prior to said survey.)

Beginning at a Stake at the N. W. corner of said East half, of the S. W. quarter, of section No. 16, Town One & Range 8 from which a Black 14 Ln. Dir. bears S. 4 $\frac{1}{2}$ ° W. 17 links, and a beech 11 Ln. Dir. N. 59° W. 12 links distant; Thence with the N. line of the sd. S. W. quarter N. 86 $\frac{1}{4}$ ° E. 79 $\frac{3}{10}$ Poles to a stone at the N. E. corner of sd. S. W. quarter from which an Ash 16 Ln. Dir. bears N. 55° W. 25 links; Thence with the East line of said quarter, S. 3 $\frac{1}{4}$ ° E. 50 $\frac{4}{100}$ Poles to a stake which I drove at the S. E. corner to the said 25 acres, from which I marked a Forked Logwood, each fork 4 Ln. Dir. bearing South 83 $\frac{1}{2}$ ° W. 32 links, & a Beech 22 Ln. Dir. S. 82° W. 67 links; Thence S. 86 $\frac{1}{4}$ ° W. (marking eight trees fore and aft, with two hacks, & other trees & bushes near the line with a blaze, facing the line) 79 $\frac{3}{10}$ Poles to a stake which I planted

at the S. W. corner to the sd. 25 acres,
 from which I marked a Hickory 9 In.
 Fir, bearing S. $54\frac{1}{2}^{\circ}$ E. 16 links, & a Beech
 18 In Fir, N $64\frac{1}{2}^{\circ}$ W. 19 $\frac{1}{2}$ links distant; -
 Thence with the West line of the sd.
 E. half quarter N. $3\frac{1}{4}^{\circ}$ W. $50\frac{00}{100}$ Poles to
 the place of beginning, containing 25 acres.
 All the afore named witness trees are
 marked thus, 'X', cut in the side facing
 the corner.

Thomas A. Pool }
 Henry Zimmerman } Chain Men,

I hereby certify that the foregoing
 plat and report are correct.

H. C. Moore, Cor. Surveyor
 of Logan Co. W.