

LINEBAUGH SURVEY

May 4, 1970

The following described real estate situated in Virginia Military Survey No. 9908, Rushcreek Township, Logan County, Ohio and being more particularly described as follows:

Commencing at the northwest corner of Orville C. Linebaugh's 70.95 acre tract in the centerline of S.R. 274 at Station 272+10 as shown on page 78 of the Logan County Engineer's Field Book No. 559, said centerline being the north line of said V.M.S. 9908; thence with said centerline and V.M.S. line N. 82°56' E. 457.9 feet to an iron bar, said iron bar being the beginning point for this description; thence with said centerline and V.M.S. line N. 82°56' E. 354.9 feet to an iron bar; thence S. 7°39' E. 243.8 feet to an iron bar; thence S. 82°56' W. 352.4 feet to an iron bar; thence N. 7°04' W. 243.8 feet to the place of beginning.

Containing 2.00 acres more or less.

496 1D

INDEXED ON MAE

V.M.S. 9933

V.M.S. LINE

± SR 274 (50')
N. 82° 56' E. 354.9'

STA. 280 + 22.80

250

25.0

V.M.S. 9908

2.00 AC.

N. 7° 04' W 243.8'

S. 7° 39' E. 243.8'

S. 82° 56' W. 352.4'

LINEBAUGH SURVEY
V.M.S. 9908
RUSHCREEK TWP.
LOGAN COUNTY, OHIO
APRIL 30, 1970

O = IRON BAR SET
SCALE 1" = 50'



IP
4696

INDEXED ON MAP
LESLIE H. GEESLIN
REG. SURVEYOR 5248

LESLIE H. GEESLIN
REGISTERED SURVEYOR NO. 5248
P. O. BOX 274
RUSHSYLVANIA, OHIO 43347

TELEPHONE: (513) 468-2793

EMPLOYEE TRANSFER CORP.,-CASSIDY SURVEY

April, 1982

The following described real estate situated in the State of Ohio, County of Logan, Township of Rushcreek, being part of Virginia Military Survey 9908 and more particularly described as follows:

Beginning at an iron bar in the centerline of State Route 274 that is N. $82^{\circ} 00'$ E. 1045 feet from the northwest corner of Harold M. Cassidy's 68.95 acre tract as described on page 240 of D. B. Vol. 346; thence with said centerline N. $82^{\circ} 00'$ E. 582.41 feet to an iron bar; thence S. $2^{\circ} 29' 50''$ W. 677.36 feet to an iron bar; thence S. $80^{\circ} 13' 12''$ E. 221.35 feet to an iron bar; thence S. $24^{\circ} 15' 50''$ W. 601.95 feet to an iron bar; thence N. $94^{\circ} 06' 19''$ W. 495.31 feet to an iron bar; thence N. $1^{\circ} 35'$ E. 970.33 feet to an iron bar; thence N. $10^{\circ} 38'$ W. 275.30 feet to the place of beginning.

Containing 15.70 acres more or less.

Reference is hereby made to a plat of this survey on file with the Logan County Engineer.

The above described 15.70 acre tract being on the north side of Harold M. Cassidy's 68.95 acre tract.

INDEXED ON MAP
4696 2D

STATE ROUTE 274 (50')
N. 82° 00' E. 582.41'

(5.82° 00' W. 10.15' TO NW
CORNER OF H.M. CASSIDY'S
58.95 AC. TRACT

N. 10° 38' W.
275.30'

870.33'

N. 1° 35' E.

N. 84° 06' 18" W.

495.31'

677.36'

S. 2° 28' 50" W.

S. 80° 13' 12" E.
221.35'

601.95'

S. 24° 15' 50" W.

15.70 AC.

LEGEND:
A = 1/2" R. SPRK SET
B = 5/8" IRON BAR SET

REFERENCE:
D.B. VOL. 346 PG. 210



SURVEY OF 15.70 ACRE TRACT
IN VIRGINIA MILITARY SURVEY
NO. 9908, RUSHCREEK TWP.,
LOGAN COUNTY, OHIO FOR
EMPLOYEE TRANSFER CORP.
APRIL, 1982
SCALE: 1" = 100'

4696 2P



INDEXED ON MAP

SURVEYED BY: Leslie H. Geeslin
RUSHsylvania, OHIO