


REC'D 4-7-99 SMY

CURVE	DELTA ANGLE	RADIUS	ARC	TANGENT	CHORD	CHORD BEARING
C 1	5° 52' 05"	135.24'	13.85'	6.93'	13.84'	S 08° 06' 45" E




RETRACEMENT SURVEY OF
LOTS 872, 873 AND 874
(0.197 ACRES)
OF NICHELSONS ADDITION TO
RUSSELLS POINT
PLAT CABINET A, SLIDE 228
VILLAGE OF RUSSELLS POINT
WASHINGTON TOWNSHIP
LOGAN COUNTY, OHIO

REFERENCES

LOGAN COUNTY ENGINEER'S FILES:
PLAT OF NICHELSONS ADDITION
PLAT CAB. A, SLIDE 228
R-5209 AND R-9049
J-273
S-116
FIELD BOOK 708, PG. 65

SURVEYED BY:

Jeffrey I. Lee
JEFFREY I. LEE
PROFESSIONAL SURVEYOR 6359
APRIL 5, 1999



ORIGINAL STAMP IN GREEN

COPYRIGHT 1999 BY:
LEE SURVEYING & MAPPING CO., INC.
117 North Madriver Street
BELLEFONTAINE, OHIO 43311
(937) 593-7335

2 WORKING DAYS
BEFORE YOU DIG
CALL TOLL FREE **800-362-2764**
OHIO UTILITIES PROTECTION SERVICE.

INDEXED ON MAP
52091P

D 344 TSEIBERT

L-2727-3



SURVEY OF
 LOTS 877 - 878 - 879
 RUSSELLS POINT, OHIO
 OCTOBER 2, 1971
 SCALE 1" = 40'
 0 = 5/8" BAR SET

INDEXED ON MAP
 52094

DAN L. DODSON
 REG. SURVEYOR 4270
 BELLEFONTAINE, O
 BK 18/38

REF:
 PLAN J-38
 NICHEISON'S 1ST ADD

