

Walters Survey Stokes Township August 1961 6.67 Acres

The following described land in Stokes Township, Logan County, Ohio and being in Section 35 Town 6 Range 8

Beginning at a post in the west side of said section 35 at the N.E. corner of Lillian Whetsel's 1.80 acre tract and the S.E. corner of James A. Moot's 0.78 acre tract and also being the S.W. corner of J. Robert Jackson's 1.04 acre tract.

Thence with the south side of said A. Robert Jackson's 1.04 acre tract N. 88 - 48 E. 134.00 feet to an iron pipe at the ~~at the~~ S.W. corner of Albert Fink's 2.24 acre tract.

Thence with the south side of said Fink's 2.24 acre tract N. 89 - 06 E. 364.40 feet to a two inch steel post at the S.W. corner of Wilbur D. Wedge's 1.00 acre tract.

Thence with the south side of said Wedge 1.00 acre tract S. 85 - 50 E. 188.70 feet to an iron pipe in the west line of Cloyd C. Walters 6.00 acre tract.

Thence with the west side of said Walters 6.00 acre tract S. 3 - 24 E. 538.60 feet to an iron in the north right of way fence line of U.S. Route Number 33 ( New location )

Thence with the north fence line of U.S. Route Number 33 ( New location ) the following four chord distances and bearings : N. 72 - 39 W. 153.00 feet to an iron : N. 70 - 53 W. 200.00 feet to an iron : N. 68 - 13 W. 200.00 feet to an iron : N. 65 - 42 W. 200.00 feet to an iron in the west line of said section 35 and at the S.E. corner of Lillian Whetsel's 1.80 acre tract.

Thence with the west side of said section 35 and with the east side of said Whetsel's 1.80 acre tract N. 3 - 00 W. 276.30 feet to the place of beginning

The above described tract containing 6.67 acres.

~~Also a right of way leading from the N.E. corner of the above described 6.67 acre tract northward to U.S. Route number 33 ( Old location ) known as the Reservoir Bank Road.~~

Also a right of way twelve feet wide leading from the N.E. corner of the above described 6.67 acre tract over the present driveway to U.S. Route Number 33 ( Old location ) known as the Reservoir Bank Road.

cc  
Logan County Engineer

INDEXED ON MAP  
2690

-10-1

Walters Survey Stokes Township August 1961 1.89 Acres

The following described land in Stokes Township, Logan County, Ohio and being in Section 35 Town 6 Range 8

Beginning at a wood post ( R.R. tie ) at the N.E. corner of Ila A. Watterson's 5.00 acre tract and also being in the west line of Grace C. Runyon's 2.76 acre tract.

Thence with the north line of said Ila A. Watterson's 5.00 acre tract S. 86 - 48 W. 246.50 feet to an iron at the S.E. corner of Anthony' Faeta's 2.58 acre tract

Thence with the east line of said Faeta's 2.58 acre tract N. 5 - 04 W. 358.60 feet to an iron in the south line of the T.& O.C. Rail Road right of way.

Thence with the south line of said Rail Road right of way S. 81 - 48 E. 258.00 feet to an iron at the N.W. corner of Henry M. Hollencamp's 5.95 acre tract.

Thence with the west line of said Hollencamp's 5.95 acre tract S. 4 - 08 E 262.30 feet to a four inch by four inch angel iron set in concrete at the N.W. corner of Grace C. Runyon's 2.76 acre tract.

Thence with the east side of said Grace C. Runyon's 2.76 acre tract again S. 4 - 08 E. 43.00 feet to the place of beginning.

The above described tract contains 1.89 acres.

cc  
Logan County Engineer

INDEXED ON MAP

2690

-10-2

Walters Survey Stokes Township August 1961 4.54 Acres

The following described land in Stokes Township, Logan County, Ohio and being in Section 35 Town 6 Range 8

Beginning at an iron in the north fence line of U.S. Route Number 33 ( New Location ) and in the west line of New Midway Addition.

Thence with the north fence line of U.S. Route Number 33 ( New Location ) the following two chord distances and bearingg : N. 81 - 15 W. 159.00 feet to an iron and N. 80 - 44 W. 100.00 feet to an iron. in the east line of Anthony Faeta's 2.58 acre tract.

Thence with the east line of said Faeta's 2.58 acre tract N. 4 - 41 W. 793.70 feet to a small iron in the center of U.S. Route Number 33 ( Old location ) also know as the Reservoir Bank Road.

Thence with the center of U.S. Route Number 33 ( Old location ) S. 81 - 44 E. 252.25 feet to a small iron.

Thence with the west line of Ralph McDonald's 0.75 acre tract and also with the west line of New Midway Addition S. 5 - 00 E. 798.00 feet to the place of beginning.

The above described tract containing 4.54 Acres

cc  
Logan County Engineer

INDEXED ON MAP

2690

-1D-3



WALTERS SURVEY

STOKES TOWNSHIP

LOGAN COUNTY OHIO

SECTION 35 TOWN 6 RANGE 8

AUGUST 1961

1" = 100'



INDEXED ON MAP

2690

INDEXED ON MAP



● INDICATES IRONS  
BOOK FW-36  
FILE FW-407

INDEXED ON MAP

2690

INDEXED ON MAP