

Survey No. 794

S. 87° W. 80 ²/₁₀ poles

Stake & 2 W. Cakes

Stone
Beech & Sycamore

N. 25°

20 ¹⁸/₁₀₀ Acres

S. 87° W. 80 ²/₁₀ Poles

40 ²/₁₀ Poles

Stake

Stone
Red Oak &
Sycamore

20 ¹⁸/₁₀₀
80 ²⁰/₁₀₀
100 ³⁸/₁₀₀ Acres

S. 23° E. 201 ²/₁₀ Poles

Jacob
Vanhorn's

80 ²⁰/₁₀₀ Acres

N. 27° W. 161 Poles

201 ²/₁₀ Poles

Co. Road

Stone
Oak

Stone

Beginning

N. 87° E. 80 ²/₁₀ Poles

Scale:

40 Poles
to an inch

Nov. 10th A. D. 1858

The above plat is a representation of the East half of the South East quarter; and the South half, of the South half, of the East half of the N. E. quarter, of section No. 15, of Town No. 6, & Range No. 8, E. 1st Mb., in Stokes Township of Logan County, as Surveyed by me, H. C. Moore, County Surveyor of Logan County Ohio, on the 13th day of October A. D. 1858, at the request of Jacob Vanhorn, of Stokes Township, for the purpose of establishing the lines and corners thereof, and ascertaining the number of acres contained therein; which I did in the following manner, to wit;

Beginning at a stone in a Co. road
 at the South East corner of said
 Section No. 15, run thence with the
 East line of said section $N. 2\frac{3}{4}^{\circ} W.$
 161 Poles, crossing a County road at
 $30\frac{1}{2}$ poles, to a stake which I drove in
 the centre of sd. E. line of the section,
 as the N. E. corner to the sd. S. E. quarter;
 Thence with the same line and bearing
 40° poles to a stake which I planted
 as the N. E. corner to the said S. $\frac{1}{2}$ of the
 S. $\frac{1}{2}$ of the S. E. quarter from which I
 marked a W. Oak 7 Ln. Dir. S. $76\frac{1}{4}^{\circ} W.$ 41 links,
 & a W. Oak 10 Ln. Dir. N. $51\frac{1}{4}^{\circ} E.$ 74 links,
 distant, Thence S. $87^{\circ} 1'$ $80\frac{1}{10}$ poles to a
 stone which I planted as the N. W.
 corner to said S. $\frac{1}{2}$ of the S. $\frac{1}{2}$ &c.,
 from which I marked a Beech
 16 Ln. Dir. bearing N. $88\frac{1}{2}^{\circ} E.$ 20 links,
 & a Lynn 7 Ln. Dir. S. $38\frac{1}{2}^{\circ} W.$ 30 links distant,
 Thence S. $2\frac{3}{4}^{\circ} E.$ $40\frac{1}{10}$ poles to a stone
 which I planted in the centre of the
 North line of the S. W. quarter, as the
 N. W. corner to the East half of said
 quarter, & also the S. W. corner to the
 said South $\frac{1}{2}$ &c. &c. &c., from which I
 marked a Red Oak 7 Ln. Dir. bearing
 S. $50^{\circ} E.$ 44 links, & a Sycamore 4 Ln.
 Dir. S. $72^{\circ} W.$ 24 links. Thence with the
 same bearing, (S. $2\frac{3}{4}^{\circ} E.$) & with the line
 between the E. & W. halves of said S. W.
 quarter 160 $\frac{9}{10}$ poles, (crossing a Co. road
 at 122 $\frac{9}{10}$ poles,) to a stone which I
 planted in the centre of the South line
 of sd. S. E. quarter, as the S. W. corner
 to the East half thereof, from which

I marked a Bur Oak 5 Ln. Dir. bearing
N. 16° W. 57 links distant; Thence N. 87° E.
80 ²/₁₀ poles to the place of beginning —
Containing One hundred Acres, or eighty eight
hundredths of an acre (100 ⁸⁸/₁₀₀ acres)

All the afore named witness trees are
marked with 'X' cut in the side facing the
corner, — Done in the presence of
David Richie }
Wm Vanhorn } John B. Stamatz
Ishan Mew } James Taylor
} Jacob Vanhorn

I hereby certify that the foregoing plat
and report of survey are correct, and
further; That preparatory to said survey
I first surveyed the whole of said section
No. 15, and divided it into quarters
according to law, and that I found
one of the original witness trees standing,
and the roots of another in a decayed
condition at each corner of the section,
except at the S.E. corner, where I found
a stone only, I also found the
original witness at the ¹/₂ mile corner
in the North line of said section,

He. C. Moore,
Co. Sur. of Logan Co. O.