

CURVE	DELTA ANGLE	RADIUS	ARC	TANGENT	CHORD	CHORD BEARING
C 1	96°40'05"	35.00'	59.05'	39.33'	52.29'	N 61°50'02"E
C 2	34°30'00"	330.00'	198.71'	102.47'	195.72'	N 30°45'00"E
C 3	52°35'00"	330.00'	302.86'	163.04'	292.34'	N 74°17'30"E
C 4	9°52'40"	270.00'	46.55'	23.33'	46.49'	S 84°21'20"E
C 5	86°41'13"	35.00'	52.95'	33.03'	48.05'	N 47°21'43"E
C 6	93°18'47"	35.00'	57.00'	37.08'	50.91'	N 42°38'17"W
C 7	9°52'40"	330.00'	56.89'	28.52'	56.82'	N 84°21'20"W
C 8	52°35'00"	270.00'	247.79'	133.39'	239.19'	S 74°17'30"W
C 9	34°30'00"	270.00'	162.58'	83.84'	160.13'	S 30°45'00"W
C 10	90°35'20"	35.00'	55.34'	35.36'	49.75'	S 31°47'40"E
C 11	5°27'14"	330.00'	31.41'	15.72'	31.40'	S 45°16'23"W
C 12	7°26'28"	270.00'	35.07'	17.56'	35.04'	N 85°34'26"W
C 13	2°26'12"	270.00'	11.48'	5.74'	11.48'	N 80°38'05"W
C 14	8°59'12"	330.00'	51.76'	25.93'	51.71'	N 83°54'36"W
C 15	43°35'48"	330.00'	251.10'	131.98'	245.08'	S 69°47'54"W
C 16	29°02'46"	330.00'	167.29'	85.49'	165.51'	S 28°01'23"W
C 17	34°30'00"	300.00'	180.64'	93.15'	177.92'	N 30°45'00"E
C 18	52°35'00"	300.00'	275.33'	148.21'	265.76'	N 74°17'30"E
C 19	9°52'40"	300.00'	51.72'	25.92'	51.66'	S 84°21'20"E
C 20	26°17'30"	270.00'	123.90'	63.06'	122.81'	N 61°08'45"E
C 21	26°17'30"	270.00'	123.90'	63.06'	122.81'	N 87°26'15"E

# INDIAN LAKE INDUSTRIAL PARK

SECTIONS 2 AND 11, TOWN 7, RANGE 8  
WASHINGTON TOWNSHIP  
LOGAN COUNTY, OHIO




LOT #	SQUARE FEET	ACREAGE
1	408070.08	9.368
2	395307.00	9.075
3	521805.24	11.956
4	426757.32	9.797
5	361025.28	8.288
6	209523.60	4.808
7	251210.52	5.767
8	113212.44	2.599
9	200114.64	4.594
10	270856.08	6.218
TOTAL		72.470

**DESCRIPTION**  
LYING IN SECTIONS 2 AND 11, TOWN 7, RANGE 8, WASHINGTON TOWNSHIP, LOGAN COUNTY, OHIO.  
BEING OUT OF THE C.E. DUFF AND SON, INC. ORIGINAL 131.079 ACRE TRACT AS DEEDED AND DESCRIBED IN OFFICIAL RECORD 126, PAGE 340, TRACT 11 OF THE LOGAN COUNTY RECORDS OF DEEDS AND ALL OF THE WORLD CLASS PLASTICS, INC. 5,000 ACRE TRACT AS DEEDED AND DESCRIBED IN OFFICIAL RECORD 338, PAGE 750 OF THE LOGAN COUNTY RECORDS OF DEEDS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:  
BEGINNING AT A 1/2 INCH IRON ROD FOUND IN CONCRETE ON THE CENTER-LINE OF TOWNSHIP ROAD 61 AT THE INTERSECTION WITH THE CENTER-LINE OF OHIO ROUTE 708, (EXISTING S. R. 708 P.1. STATION 17-87.09).  
THENCE, WITH THE CENTER-LINE OF OHIO ROUTE 708, N 86°-37'-49" W, A DISTANCE OF 1135.50 TO A MAG NAIL SET AT THE SOUTHEAST CORNER OF THE LOUIS D. FAIRFIELD 1.551 ACRE TRACT, (O.R. 269, PG. 541).  
THENCE, WITH THE LINES OF THE SAID 1.551 ACRE TRACT THE FOLLOWING THREE (3) COURSES:  
N 8°-10'-33" E, A DISTANCE OF 291.95 FEET TO A 5/8 INCH IRON ROD FOUND, PASSING A 5/8 INCH IRON ROD SET AT 42.75 FEET.  
N 80°-28'-12" W, A DISTANCE OF 212.82 FEET TO A 5/8 INCH IRON ROD FOUND.  
S 12°-33'-52" W, A DISTANCE OF 317.85 FEET TO A 5/8 INCH IRON ROD SET ON THE CENTER-LINE OF OHIO ROUTE 708, PASSING A 5/8 INCH IRON ROD SET AT 255.08 FEET.  
THENCE, WITH THE CENTER-LINE OF OHIO ROUTES 708 AND 235, N 86°-37'-50" W, A DISTANCE OF 32.50 FEET TO A 1/2 INCH IRON ROD FOUND IN CONCRETE AT CENTER-LINE P.1. STATION 3-84.1.

**REFERENCES**  
ODOT R/W PLAN OF STATE ROUTE 235  
ODOT R/W PLAN OF STATE ROUTE 708  
ODOT PLAN L-19A  
LOGAN COUNTY ENGINEER'S FILES:  
FIELD BOOK 471, PAGES 5-7  
R-7052

**LEGEND**  
● MAG NAIL SET  
● 5/8" IRON ROD SET  
● 5/8 INCH IRON ROD SET IN A MONUMENT BOX  
○ 5/8" IRON ROD FOUND  
□ 1/2" IRON ROD FOUND IN CONCRETE  
⊗ P.K. NAIL FOUND



**NOTES:**  
IN ADDITION TO OTHER EASEMENTS SHOWN OR NOTED, AN EXCLUSIVE TWO FEET DIAMETER EASEMENT IS RESERVED AT ALL PROPERTY CORNERS AND POINTS OF CURVATURE FOR MONUMENTATION. NO SURFACE OR BURIED UTILITIES OF ANY KIND MAY BE PLACED WITHIN THESE EASEMENT AREAS.  
THE UTILITY EASEMENTS INDICATED ON THIS PLAT ARE FOR THE ERECTION, CONSTRUCTION, MAINTENANCE, REPAIR, AND INSTALLATION OF ANY OR ALL UTILITIES, BOTH PUBLIC AND PRIVATE FOR USE WITHIN INDIAN LAKE INDUSTRIAL PARK. IT SHALL BE LAWFUL FOR ANY SUCH UTILITY, PUBLIC OR PRIVATE, OR ITS EMPLOYEES OR REPRESENTATIVES OR ANYONE ACTING FOR ANY SUCH UTILITY TO ENTER UPON SAID EASEMENT OR RIGHT-OF-WAY AT ANY TIME FOR THE PURPOSE OF CARRYING OUT THE OBJECTIVES FOR WHICH SUCH EASEMENTS OR RIGHTS-OF-WAY WERE RESERVED. NO STRUCTURES OR PLANTINGS ARE PERMITTED WITHIN ANY UTILITY EASEMENT.  
EXCEPT AS SHOWN TO BE MORE RESTRICTIVE, BUILDING SETBACK DISTANCES SHALL CONFORM TO WASHINGTON TOWNSHIP ZONING REGULATIONS.  
THIS PLAT CONSISTS OF FOUR (4) PAGES, AND ALL PAGES MUST BE USED FOR A COMPLETE REPRESENTATION OF THIS SUBDIVISION.  
THE AREA SHOWN HEREON IS IN FLOOD ZONE "C", AREA OF MINIMAL FLOODING, AND FLOOD ZONE "A", AREA OF 100-YEAR FLOOD, PER FLOOD INSURANCE RATE MAP PANEL NUMBER 390772 0100 C, DATED MAY 15, 1985, BASE FLOOD ELEVATION IS 989.00 PER THE OHIO DEPARTMENT OF TRANSPORTATION STUDY OF OHIO ROUTE 708 AT THE GREAT MIAMI RIVER, THE 989.00 CONTOUR SHOWN HEREON WAS DETERMINED BY A TOPOGRAPHIC SURVEY BY LEE SURVEYING AND MAPPING CO., INC. AND M.A.N. MAPPING, INC. ON MARCH 1, 1990.

**SURVEYOR'S CERTIFICATION**

THE ACCOMPANYING PLAT REPRESENTS A SUBDIVISION OF LAND IN SECTIONS 2 AND 11, TOWN 7, RANGE 8, WASHINGTON TOWNSHIP, LOGAN COUNTY, OHIO.  
THE TRACT HAS A TOTAL AREA OF 84,593 ACRES, OF WHICH 12.123 ACRES ARE WITHIN THE STREET, LEAVING 72,470 ACRES IN BUILDING LOTS.  
ALL MEASUREMENTS ARE IN FEET AND DECIMAL PARTS THEREOF.  
I HEREBY STATE THAT THE ACCOMPANYING PLAT IS A CORRECT REPRESENTATION OF INDIAN LAKE INDUSTRIAL PARK AS SURVEYED IN MAY OF 2000, AND THAT ALL MONUMENTS ARE AS SHOWN HEREON HAVE BEEN SET.



JEFFREY I. LEE  
8559  
REGISTERED PROFESSIONAL SURVEYOR  
STATE OF OHIO  
JEFFREY I. LEE  
PROFESSIONAL SURVEYOR 6359  
MAY 15, 2000

ORIGINAL STAMP IN GREEN  
N 25°-52'-20" E, A DISTANCE OF 259.05 FEET TO A POINT.  
N 51°-51'-11" E, A DISTANCE OF 118.64 FEET TO A POINT.  
N 70°-42'-41" E, A DISTANCE OF 198.93 FEET TO A POINT.  
N 79°-56'-25" E, A DISTANCE OF 85.41 FEET TO A MAG NAIL SET ON THE EAST LINE OF SECTION 2 AND THE CENTER-LINE OF OHIO ROUTE 708.  
THENCE, WITH THE EAST LINE OF SECTION 2 AND THE CENTER-LINE OF OHIO ROUTE 708, S 0°-41'-06" W, A DISTANCE OF 790.00 FEET TO A P.K. NAIL FOUND ON THE NORTHEAST CORNER OF THE VILLAGE OF RUSSELLS POINT 1.354 ACRE TRACT, (O.R. 242, PG. 358).  
THENCE, WITH THE LINES OF THE SAID 1.354 ACRE TRACT, THE FOLLOWING SEVEN (7) COURSES:  
N 89°-18'-54" W, A DISTANCE OF 300.00 FEET TO A 5/8 INCH IRON ROD FOUND, PASSING A 5/8 INCH IRON ROD SET AT 61.88 FEET.  
N 0°-36'-39" E, A DISTANCE OF 75.19 FEET TO A 5/8 INCH IRON ROD FOUND.  
N 89°-18'-54" W, A DISTANCE OF 219.90 FEET TO A 5/8 INCH IRON ROD FOUND.  
S 0°-41'-06" W, A DISTANCE OF 200.05 FEET TO A 5/8 INCH IRON ROD FOUND.  
CONTAINING 84,593 ACRES, OF WHICH 20.198 ACRES IS WITHIN SECTION 2 AND 64,395 ACRES IS WITHIN SECTION 11, AND 9.482 TOTAL IS WITHIN THE HIGHWAY RIGHTS-OF-WAY.  
THE BASIS FOR BEARINGS IS THE CENTER-LINE OF OHIO ROUTE 708 NORTH OF THE INTERSECTION WITH THE CENTER-LINE OF TOWNSHIP ROAD 61, BEING N 0°-42'-20" E, AND ALL OTHER BEARINGS ARE FROM ANGLES AND DISTANCES MEASURED IN A FIELD SURVEY BY LEE SURVEYING AND MAPPING CO., INC. ON AUGUST 26, 1997.  
DESCRIPTION PREPARED BY: JEFFREY I. LEE, PROFESSIONAL SURVEYOR 6359

**DEDICATION**

KNOW ALL MEN BY THESE PRESENTS THAT C.E. DUFF & SON, INC. AND WORLD CLASS PLASTICS, INC. OWNERS OF THE LAND INDICATED ON THE ACCOMPANYING PLAT, HAVE AUTHORIZED THE PLATTING THEREON AND DO HEREBY DEDICATE THE STREETS TO THE PUBLIC USE FOREVER.

WITNESSES AS TO NO. 1  
SIGNATURE: *Ryan D. Beelman*  
PRINTED NAME: Ryan D. Beelman  
OWNER: James David Duff  
SIGNATURE: *James David Duff*  
PRINTED NAME: James David Duff  
VICE PRESIDENT, C.E. DUFF & SON, INC.  
STATE OF OHIO COUNTY OF LOGAN SS:  
BEFORE ME A NOTARY PUBLIC IN AND FOR THE SAID COUNTY PERSONALLY CAME JAMES DAVID DUFF, VICE PRESIDENT, C.E. DUFF & SON, INC. WHO ACKNOWLEDGE THE SIGNING OF THE FOREGOING INSTRUMENT TO BE HIS VOLUNTARY ACT AND DEED FOR THE USES AND PURPOSES THEREIN EXPRESSED.  
IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND AFFIXED MY OFFICIAL SEAL THIS 13th DAY OF July, 2000  
*Victoria L. Zinke*  
NOTARY PUBLIC

WITNESSES AS TO NO. 2  
SIGNATURE: *Ronald L. Buckenroth*  
PRINTED NAME: Ronald L. Buckenroth  
OWNER: STEVEN LEE BUCKENROTH  
PRESIDENT, WORLD CLASS PLASTICS, INC.  
SIGNATURE: *Steven Lee Buckenroth*  
PRINTED NAME: Steven Lee Buckenroth  
STATE OF OHIO COUNTY OF LOGAN SS:  
BEFORE ME A NOTARY PUBLIC IN AND FOR THE SAID COUNTY PERSONALLY CAME STEVEN LEE BUCKENROTH, PRESIDENT, WORLD CLASS PLASTICS, INC. WHO ACKNOWLEDGE THE SIGNING OF THE FOREGOING INSTRUMENT TO BE HIS VOLUNTARY ACT AND DEED FOR THE USES AND PURPOSES THEREIN EXPRESSED.  
IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND AFFIXED MY OFFICIAL SEAL THIS 17th DAY OF July, 2000  
*Lori Widmark*  
NOTARY PUBLIC

**APPROVALS**

PLAT PRE-APPROVED: *Janette M. Harty* 7-12-00  
PLAT CHECKED: *Janette M. Harty* 7-17-00  
REVIEWED THIS 13th DAY OF July, 2000. *Mary Louise Bresler* CHAIRMAN WASHINGTON TOWNSHIP TRUSTEES  
APPROVED THIS 13th DAY OF July, 2000. *James K. Lee* LOGAN COUNTY ENGINEER  
APPROVED THIS 13th DAY OF July, 2000. *Hans E. Pugh* INDIAN LAKE WATER POLLUTION CONTROL DISTRICT  
THE WITHIN STREETS ARE HEREBY APPROVED AND ACCEPTED FOR PUBLIC MAINTENANCE BY RESOLUTION NO. 301-09 RECORDED IN LOGAN COUNTY COMMISSIONERS' JOURNAL ON THIS 13th DAY OF July, 2000.  
APPROVED THIS 13th DAY OF July, 2000. *Gregg A. Harris* LOGAN-UNION CHAMPAIGN REGIONAL PLANNING COMMISSION  
APPROVED THIS 13th DAY OF July, 2000. *Serge W. Clayton*  
*Danell J. Smith*  
*John Paulias* LOGAN COUNTY COMMISSIONERS  
TRANSFERRED THIS 17th DAY OF July, 2000. *Michael E. Gowan* AUDITOR, LOGAN COUNTY, OHIO  
FILED FOR RECORD THIS 17th DAY OF July, 2000. AT A.M. 11:58  
RECORDED THIS 17th DAY OF July, 2000. IN PLAT CABINET B, SLIDE 51A-52B  
*Carolyn Collins* RECORDER, LOGAN COUNTY, OHIO


**DEVELOPER**

C.E. DUFF & SON, INC.  
9042 ST. RT. 117  
HUNTSVILLE, OHIO 43324  
(937) 686-2488

COPYRIGHT 2000 BY:  
LEE SURVEYING & MAPPING CO., INC.  
117 North Madison Street  
Bellefontaine, Ohio 43311  
(937) 593-7335  
D 323 DFRD.LBD.DAT  
L11PLAT.GCD  
L-2361-1



REFERENCES  
 ODOT R/W PLAN OF STATE ROUTE 235  
 ODOT R/W PLAN OF STATE ROUTE 708  
 ODOT PLAN L-19A  
 LOGAN COUNTY ENGINEER'S FILES:  
 FIELD BOOK 471, PAGES 5-7  
 R-7052




LEGEND  
 ● MAG NAIL SET  
 ● 5/8" IRON ROD SET  
 ○ 5/8" IRON ROD FOUND  
 □ 1/2" IRON ROD FOUND IN CONC.  
 ⊗ P.K. NAIL FOUND  
 ⊠ 5/8" ROD SET IN A MONUMENT BOX

JAMES E. DUFF  
 126.770 ACRES  
 VOL. 388, PG. 102

HARVEY R. STALEY  
 0.50 ACRES  
 VOL. 388, PG. 438

C.E. DUFF AND SON, INC.  
 ORIG. 131.079 ACRES  
 O.R. 126, PG. 340, TRACT 11



CURVE	DELTA ANGLE	RADIUS	ARC	TANGENT	CHORD	CHORD BEARING
C 1	96°40'05"	35.00'	59.05'	39.33'	52.29'	N 61°50'02"E
C 2	34°30'00"	330.00'	198.71'	102.47'	195.72'	N 30°45'00"E
C 3	52°35'00"	330.00'	302.86'	163.04'	292.34'	N 74°17'30"E
C 4	9°52'40"	270.00'	46.55'	23.33'	46.49'	S 84°21'20"E
C 5	86°41'13"	35.00'	52.95'	33.03'	48.05'	N 47°21'43"E
C 6	93°18'47"	35.00'	57.00'	37.08'	50.91'	N 42°38'17"W
C 7	9°52'40"	330.00'	56.89'	28.52'	56.82'	N 84°21'20"W
C 8	52°35'00"	270.00'	247.79'	133.39'	239.19'	S 74°17'30"W
C 9	34°30'00"	270.00'	162.58'	83.84'	160.13'	S 30°45'00"W
C 10	90°35'20"	35.00'	55.34'	35.36'	49.75'	S 31°47'40"E
C 11	5°27'14"	330.00'	31.41'	15.72'	31.40'	S 45°16'23"W
C 12	7°26'28"	270.00'	17.56'	8.78'	17.56'	S 85°34'26"W
C 13	2°26'12"	270.00'	11.48'	5.74'	11.48'	N 80°38'05"W
C 14	8°59'12"	330.00'	51.76'	25.93'	51.71'	N 83°54'36"W
C 15	43°35'48"	330.00'	251.10'	131.98'	245.08'	S 69°47'54"W
C 16	29°02'46"	330.00'	167.29'	85.49'	165.51'	S 28°01'23"W
C 17	34°30'00"	300.00'	180.64'	93.15'	177.92'	N 30°45'00"E
C 18	52°35'00"	300.00'	275.33'	148.21'	265.76'	N 74°17'30"E
C 19	9°52'40"	300.00'	51.72'	25.92'	51.66'	S 84°21'20"E
C 20	26°17'30"	270.00'	123.90'	63.06'	122.81'	N 61°08'45"E
C 21	26°17'30"	270.00'	123.90'	63.06'	122.81'	N 87°26'15"E

# INDIAN LAKE INDUSTRIAL PARK

SECTIONS 2 AND 11, TOWN 7, RANGE 8  
 WASHINGTON TOWNSHIP  
 LOGAN COUNTY, OHIO

2 WORKING DAYS  
**BEFORE YOU DIG**  
 CALL TOLL FREE 800-362-2764  
 OHIO UTILITIES PROTECTION SERVICE.

THIS PLAT CONSISTS OF FOUR (4) PAGES, AND ALL PAGES MUST BE USED FOR A COMPLETE REPRESENTATION OF THIS SUBDIVISION.

COPYRIGHT 2000 BY:  
**LEE SURVEYING & MAPPING CO., INC.**  
 117 North Madriver Street  
 BELLEFONTAINE, OHIO 45311  
 (937) 593-7335


D 323 1L1PPLT2 (DFWRD.DAT) L-2361-I



# INDIAN LAKE INDUSTRIAL PARK


SECTIONS 2 AND 11, TOWN 7, RANGE 8  
WASHINGTON TOWNSHIP  
LOGAN COUNTY, OHIO

THIS PLAT CONSISTS OF FOUR (4) PAGES. AND ALL PAGES MUST BE USED FOR A COMPLETE REPRESENTATION OF THIS SUBDIVISION.



- LEGEND**
- MAG NAIL SET
  - 5/8" IRON ROD SET
  - 5/8" IRON ROD FOUND
  - 1/2" IRON ROD FOUND IN CONC.
  - ⊙ P.K. NAIL FOUND
  - ⊙ 5/8" ROD SET IN A MONUMENT BOX

CURVE	DELTA ANGLE	RADIUS	ARC	TANGENT	CHORD	CHORD BEARING
C 1	96°40'05"	35.00'	59.05'	39.33'	52.29'	N 61°50'02"E
C 2	34°30'00"	330.00'	198.71'	102.47'	195.72'	N 30°45'00"E
C 3	52°35'00"	330.00'	302.86'	163.04'	292.34'	N 74°17'30"E
C 4	9°52'40"	270.00'	46.55'	23.33'	46.49'	S 84°21'20"E
C 5	86°41'13"	35.00'	52.95'	33.03'	48.05'	N 47°21'43"E
C 6	93°18'47"	35.00'	57.00'	37.08'	50.91'	N 42°38'17"W
C 7	9°52'40"	330.00'	56.89'	28.52'	56.82'	N 84°21'20"W
C 8	52°35'00"	270.00'	247.79'	133.39'	239.19'	S 74°17'30"W
C 9	34°30'00"	270.00'	162.58'	83.84'	160.13'	S 30°45'00"W
C 10	90°35'20"	35.00'	55.34'	35.36'	49.75'	S 31°47'40"E
C 11	5°27'14"	330.00'	31.41'	15.72'	31.40'	S 45°16'23"W
C 12	7°26'28"	270.00'	35.07'	17.56'	35.04'	N 85°34'26"W
C 13	2°26'12"	270.00'	11.48'	5.74'	11.48'	N 80°38'05"W
C 14	8°59'12"	330.00'	51.76'	25.93'	51.71'	N 83°54'36"W
C 15	43°35'48"	330.00'	251.10'	131.98'	245.08'	S 69°47'54"W
C 16	29°02'46"	330.00'	167.29'	85.49'	165.51'	S 28°01'23"W
C 17	34°30'00"	300.00'	180.64'	93.15'	177.92'	N 30°45'00"E
C 18	52°35'00"	300.00'	275.33'	148.21'	265.76'	N 74°17'30"E
C 19	9°52'40"	300.00'	51.72'	25.92'	51.66'	S 84°21'20"E
C 20	26°17'30"	270.00'	123.90'	63.06'	122.81'	N 61°08'45"E
C 21	26°17'30"	270.00'	123.90'	63.06'	122.81'	N 87°26'15"E



JAMES E. DUFF  
126.770 ACRES  
VOL. 388, PG. 102

LARRY E. MORGAN  
39.060 ACRES  
VOL. 408, PG. 780

EXISTING EASEMENT  
VILLAGE OF RUSSELLS POINT  
0.048 ACRES  
VOL. 242, PG. 357

TIMOTHY SADLER  
4.00 ACRES  
O.R. 241, PG. 801

EXISTING  
THE STATE OF OHIO  
EASEMENT FOR HIGHWAY PURPOSE  
VOL. 379, PG. 806

HARVEY R. STALEY  
0.50 ACRES  
VOL. 388, PG. 438

C.E. DUFF AND SON, INC.  
ORIG. 131.079 ACRES  
O.R. 126, PG. 340, TRACT 11

LOT 5  
8.288 ACRES  
MIN. FIRST FLOOR  
ELEVATION - 994.0

LOT 6  
4.808 ACRES  
MIN. FIRST FLOOR  
ELEVATION - 995.0

LOT 7  
5.767 ACRES  
MIN. FIRST FLOOR  
ELEVATION - 995.0

LOT 8  
2.599 ACRES  
MIN. FIRST FLOOR  
ELEVATION - 996.0

LOT 9  
4.594 ACRES

LOT 10  
6.218 ACRES  
MIN. FIRST FLOOR  
ELEVATION - 994.0

LOT 4  
9.797 ACRES  
MIN. FIRST FLOOR  
ELEVATION - 991.0

LOT 2  
9.075 ACRES  
MIN. FIRST FLOOR  
ELEVATION - 996.0

LOT 1  
9.368 ACRES  
MIN. FIRST FLOOR  
ELEVATION - 996.0

LOT 3  
11.956 ACRES  
MIN. FIRST FLOOR  
ELEVATION - 991.0

MAGIE PROPERTIES, LLC  
720.835 ACRES  
VOL. 441, PG. 703

**REFERENCES**  
ODOT R/W PLAN OF STATE ROUTE 235  
ODOT R/W PLAN OF STATE ROUTE 708  
ODOT PLAN L-19A  
LOGAN COUNTY ENGINEER'S FILES:  
FIELD BOOK 471, PAGES 5-7  
R-7052

2 WORKING DAYS  
**BEFORE YOU DIG**  
CALL TOLL FREE 800-362-2764  
OHIO UTILITIES PROTECTION SERVICE.


COPYRIGHT 2000 BY:  
LEE SURVEYING & MAPPING CO., INC.  
117 North Madison Street  
Bellefontaine, OHIO 45311  
(937) 593-7335  
D 323 IL1PLT3 (DFWRD00.DAT) L-2361-1



# INDIAN LAKE INDUSTRIAL PARK

SECTIONS 2 AND 11, TOWN 7, RANGE 8  
WASHINGTON TOWNSHIP  
LOGAN COUNTY, OHIO

THIS PLAT CONSISTS OF FOUR (4) PAGES, AND ALL PAGES MUST BE USED FOR A COMPLETE REPRESENTATION OF THIS SUBDIVISION.



## LOT USE RESTRICTIONS FOR INDIAN LAKE INDUSTRIAL PARK

- LOT 3 SHALL HAVE NO DIRECT VEHICULAR OR DRIVEWAY ACCESS TO STATE ROUTE 235 AS INDICATED ON THE PLAT AND SHALL HAVE ACCESS TO STATE ROUTE 235 AND STATE ROUTE 708 ONLY VIA WORLD CLASS DRIVE AS SET FORTH ON THE PLAT.
- LOTS 1, 2, AND 8 SHALL HAVE NO DIRECT VEHICULAR OR DRIVEWAY ACCESS TO STATE ROUTE 708 AS INDICATED ON THE PLAT AND SHALL HAVE ACCESS TO STATE ROUTE 235 AND STATE ROUTE 708 ONLY VIA WORLD CLASS DRIVE AS SET FORTH ON THE PLAT.
- THE BUFFER STRIP AS INDICATED ON THE PLAT SHALL REMAIN FREE OF ANY BUILDINGS, PARKING AREAS, FENCES, AND UTILITY EASEMENTS. PERMITTED USES WITHIN THE BUFFER STRIP ARE NATURAL GRASS PLANTINGS, TREE PLANTINGS, BUSHES, AND SURFACE AND SUBSURFACE DRAINAGE STRUCTURES THAT CARRY STORM WATER RUNOFF.
- THE AREA LABELED "RESTRICTED AREA" ON LOT 1 SHALL BE AN OBSTRUCTION FREE AREA SO AS TO PRESERVE LINE OF SIGHT VISIBILITY ACROSS THE SAID AREA. BUILDINGS, STRUCTURES, PAVEMENT, FENCES, PARKING AREAS, MOTOR VEHICLES, SIGNS, TREES, LANDSCAPING, AND MOUNDS ARE PROHIBITED WITHIN THIS AREA. PERMITTED USE OF THIS AREA SHALL BE GRASS PLANTINGS.
- THESE RESTRICTIONS SHALL BE FOR THE BENEFIT OF ALL OF THE LOT OWNERS OF INDIAN LAKE INDUSTRIAL PARK AND THE PROPRIETORS HEREIN. ENFORCEMENT OF THESE RESTRICTIONS SHALL BE BY PROCEEDINGS AT LAW OR EQUITY AGAINST ANY PERSON OR PERSONS VIOLATING OR ATTEMPTING TO VIOLATE ANY RESTRICTION. EITHER TO RESTRAIN ANY VIOLATION OR TO RECOVER DAMAGES INCLUDING ATTORNEY FEES AND COURT COSTS RESULTING FROM SAID VIOLATION.
- INVALIDATION OF ANY ONE OF THESE COVENANTS BY JUDGMENT OR COURT ORDER SHALL IN NO WAY AFFECT ANY OF THE OTHER PROVISIONS WHICH SHALL REMAIN IN FULL FORCE AND EFFECT.
- THE STORM DETENTION AREAS AND THE DRAINAGE EASEMENTS INDICATED ON THE PLAT SHALL BE FOR THE DETENTION AND TRANSPORT OF SURFACE AND STORM WATERS FROM THE INDIAN LAKE INDUSTRIAL PARK AND SHALL BE FOR THE BENEFIT OF ALL LOT OWNERS. THE STORM DETENTION AREAS AND DRAINAGE EASEMENTS INDICATED ON THE PLAT, INCLUDING SUBSURFACE TILE, SHALL BE MAINTAINED BY THE OWNERS OF THE LOTS ON WHICH THEY ARE LOCATED.

