

Baird St.

	T.S.	H.V. -	-S.	Elev.	ent Grade
B.M.		997.09	7.90	989.19	
			7.92	989.17	
0	N. curb.		7.90	89.19	N. 89.19
	N. Walk.		7.76	89.23	
	S. curb.		8.30	88.79	88.79
	S. Walk.		8.26	88.83	88.79
1	N. Sta 19		7.56	89.53	
	N. Curb		7.52	89.52	N. 89.52
	N. Walk.		7.45	89.64	
	S. Curb		7.90	89.19	
	S. Walk.		7.77	89.32	S. 89.52
	1st S. Walk		7.72	89.87	
2	S. Walk. (X)		6.22	90.87	N. 90.50
	N. Hib.		6.31	90.79	N. 90.50
	N. Walk.		6.15	90.94	
	2720 S. Walk		5.66	91.43	
	2720 S. Walk.		5.25	91.84	

B.M. ~~E~~ Baird on Break East side of Main. ^{See Par 32}
 E. side of Main

File 2"

as 4 1/2"
 at 3 1/2"

Boiled St.

	+S.	M.I.	-S.	Elc.	cut width
		997.09			
	2+85	S. walk	3.50	93.53	
3	Sitz		3.25	93.72	S 93.00 N 93.00
	N. Hus.		4.00	93.09	S cut 8 1/2" N cut 0-11"
	N. walk		3.90	93.16	
	N. walk	2+2	3.22	93.87	
	N. walk	2+92.5	2.50	94.55	
4	N. Hus.		2.86	94.23	
	N. walk		2.75	94.04	N 93.93
	Top End of curb N. 4402		3.10	93.92	
4	S. Hus.		3.20	93.79	
	Top S. curb #102		3.26	93.83	
	S. walk		3.20	93.79	
	S. walk	2+50.4	2.85	94.24	